



Susvimo[™] (ranibizumab) (Intravitreal)

Document Number: MODA-0634

Last Review Date: 03/04/2025 Date of Origin: 12/02/2021 Dates Reviewed: 12/2021, 04/2022, 07/2022, 10/2022, 10/2023, 09/2024, 03/2025

I. Length of Authorization

• Initial will be provided every 6 months and may be renewed annually.

II. Dosing Limits

Max Units (per dose and over time) [HCPCS Unit]:

• 200 billable units every 24 weeks (Max units are based on administration to both eyes)

III. Initial Approval Criteria¹

Coverage is provided in the following conditions:

- Patients must have an inadequate response to an adequate trial of, or contraindication or intolerance to bevacizumab prior to initiating therapy with Susvimo[™]; **AND**
- Patient is at least 18 years of age; AND

Universal Criteria¹

- Patient is free of ocular and/or peri-ocular infections; AND
- Patient does not have active intraocular inflammation; AND
- Therapy will not be used with other ophthalmic vascular endothelial growth factor (VEGF) inhibitors unless supplemental treatment with another ranibizumab product is necessary *(refer to sections IV and V);* **AND**
- Patient has not required removal of a Susvimo implant in the past; AND
- Patient does not have a hypersensitivity to other ranibizumab products (i.e., Lucentis®, Byooviz™, Cimerli™, etc.); AND
- Patient's best corrected visual acuity (BCVA) is measured at baseline and periodically during treatment; AND

Neovascular (Wet) Age-Related Macular Degeneration (AMD) † ^{1-5,7,8}

 Patient has previously responded to at least two intravitreal injections of a VEGF inhibitor medication

Diabetic Macular Edema (DME) † 1,3,6

- Patient has previously responded to at least two intravitreal injections of a VEGF inhibitor medication

IV. Renewal Criteria¹

Coverage can be renewed based upon the following criteria:

- Patient continues to meet the universal and indication-specific relevant criteria as identified in section III; **AND**
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: endophthalmitis, rhegmatogenous retinal detachment, implant dislocation, septum dislodgement, vitreous hemorrhage, conjunctival erosion, conjunctival retraction, and conjunctival blebs, etc.; AND
 - Patient has had a beneficial response to therapy (e.g., improvement in the baseline best corrected visual acuity (BCVA), etc.) and continued administration is necessary for the maintenance treatment of the condition; OR
 - Supplemental treatment ONLY: Patient has had an insufficient response during initial or maintenance therapy with Susvimo administered every 24 weeks and requires supplemental treatment with intravitreal ranibizumab (*Refer to Section V for dosing and administration*)

V. Dosage/Administration¹

Indication	Dose		
Neovascular (wet) Age-related Macular Degeneration (AMD) & Diabetic Macular Edema (DME)	Initial/Maintenance 2 mg (0.02 mL of 100 mg/mL solution) continuously delivered via the Susvimo ocular implant with refills into the implant administered every 24 weeks (approximately 6 months) Supplemental Intravitreal Ranibizumab Supplemental treatment with 0.5 mg (0.05 mL of 10 mg/mL) intravitreal ranibizumab injection may be administered in the affected eye while the Susvimo implant is in place and if clinically necessary.		
	– For intravitreal use via Susvimo ocular implant.		
 The initial fill and 	The initial fill and ocular implant insertion and implant removal procedures must be performed under aseptic		

 The initial fill and ocular implant insertion and implant removal procedures must be performed under asepti conditions by a physician experienced in vitreoretinal surgery.

VI. Billing Code/Availability Information

HCPCS Code(s):

- J2779 Injection, ranibizumab, via intravitreal implant (susvimo), 0.1 mg; 1 billable unit = 0.1 mg
- C1889 Implantable/insertable device, not otherwise classified (Used for Susvimo Ocular Implant Device)

Page 2

Medical Necessity Criteria



<u>NDC(s):</u>

- Susvimo 100 mg/mL, 0.1ml single-dose glass vial: 50242-0078-xx
- Susvimo 100 mg/mL, 0.1ml injection and initial fill needle kit (carton of 1 dose): 50242-0078-xx

VII. References

- 1. Susvimo [package insert]. South San Francisco, CA; Genentech, Inc; February 2025. Accessed February 2025.
- American Academy of Ophthalmology-Preferred Practice Patterns (AAO-PPP) Retina/Vitreous Committee, Hoskins Center for Quality Eye Care. Age-Related Macular Degeneration PPP – Update 2019. Oct 2019. (Interim update March 2022).
- Heimann F, Barteselli G, Brand A, et al. A custom virtual reality training solution for ophthalmologic surgical clinical trials. Adv Simul (Lond). 2021 Apr 16;6(1):12. doi: 10.1186/s41077-021-00167-z.
- American Academy of Ophthalmology-Preferred Practice Patterns (AAO-PPP) Retina/Vitreous Panel, Hoskins Center for Quality Eye Care. Retina Summary Benchmarks-2022. December 2022.
- Chandra S, McKibbin M, Mahmood S, et al. The Royal College of Ophthalmologists Commissioning guidelines on age macular degeneration: executive summary. Eye 36, 2078– 2083 (2022). <u>https://doi.org/10.1038/s41433-022-02095-2</u>
- Wirthlin R, Gill M, Howard D, et al. Port Delivery System with ranibizumab (PDS) stabilizes retinal nonperfusion and macular leakage: results from Pagoda and Pavilion phase 3 trials in diabetic macular edema (DME) and diabetic retinopathy (DR). Invest. Ophthalmol. Vis. Sci. 2024;65(7):6232.
- Howard J, Cavichini Cordeiro M, Singh N, et al. Long-term efficacy and safety of the Port Delivery System with ranibizumab in patients with neovascular age-related macular degeneration: Results from the Portal 5-year subgroup analysis. Invest. Ophthalmol. Vis. Sci. 2023;64(8):2188.
- American Academy of Ophthalmology-Preferred Practice Patterns (AAO-PPP) Retina/Vitreous Panel, Hoskins Center for Quality Eye Care. Retina Summary Benchmarks-2023. December 2023.

ICD-10	ICD-10 Description	
E08.311	Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy with macular edema	
E08.3211	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right eye	
E08.3212	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left eye	
E08.3213	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, bilateral	

Appendix 1 – Covered Diagnosis Codes



Medical Necessity Criteria



ICD-10	ICD-10 Description		
E08.3219	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with		
E08.3311	macular edema, unspecified eye Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with		
L00.5511	macular edema, right eye		
E08.3312	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with		
	macular edema, left eye		
E08.3313	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, bilateral		
E08.3319	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with		
E08.3411	macular edema, unspecified eye Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with		
	macular edema, right eye		
E08.3412	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, left eye		
E08.3413	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with		
200.0410	macular edema, bilateral		
E08.3419	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with		
20010110	macular edema, unspecified eye		
E08.3511	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular		
	edema, right eye		
E08.3512	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular		
	edema, left eye		
E08.3513	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular		
	edema, bilateral		
E08.3519	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular		
	edema, unspecified eye		
E09.311	Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy with macular edema		
E09.3211	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with		
	macular edema, right eye		
E09.3212	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with		
	macular edema, left eye		
E09.3213	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with		
	macular edema, bilateral		
E09.3219	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with		
	macular edema, unspecified eye		
E09.3311	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with		
	macular edema, right eye		
E09.3312	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with		
	macular edema, left eye		
E09.3313	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with		
	macular edema, bilateral		
E09.3319	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with		
	macular edema, unspecified eye		



Page 4

Medical Necessity Criteria

ICD-10	ICD-10 Description		
E09.3411	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye		
E09.3412	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye		
E09.3413	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral		
E09.3419	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye		
E09.3511	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye		
E09.3512	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye		
E09.3513	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral		
E09.3519	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye		
E10.311	Type 1 diabetes mellitus with unspecified diabetic retinopathy with macular edema		
E10.3211	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye		
E10.3212	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye		
E10.3213	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral		
E10.3219	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye		
E10.3311	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye		
E10.3312	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye		
E10.3313	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral		
E10.3319	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye		
E10.3411	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye		
E10.3412	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye		
E10.3413	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral		
E10.3419	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye		
E10.3511	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye		

Prime THERAPEUTICS

Page 5

Medical Necessity Criteria

ICD-10	ICD-10 Description		
E10.3512	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye		
E10.3513	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral		
E10.3519	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye		
E11.311	Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema		
E11.3211	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye		
E11.3212	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye		
E11.3213	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral		
E11.3219	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye		
E11.3311	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye		
E11.3312	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye		
E11.3313	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral		
E11.3319	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye		
E11.3411	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye		
E11.3412	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye		
E11.3413	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral		
E11.3419	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye		
E11.3511	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye		
E11.3512	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye		
E11.3513	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral		
E11.3519	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye		
E13.311	Other specified diabetes mellitus with unspecified diabetic retinopathy with macular edema		
E13.3211	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye		
E13.3212	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye		
E13.3213	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral		
E13.3219	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye		




Page 6

Medical Necessity Criteria

ICD-10	ICD-10 Description	
E13.3311	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye	
E13.3312	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye	
E13.3313	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral	
E13.3319	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye	
E13.3411	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye	
E13.3412	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye	
E13.3413	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral	
E13.3419	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye	
E13.3511	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye	
E13.3512	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye	
E13.3513	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral	
E13.3519	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye	
H35.3210	Exudative age-related macular degeneration, right eye, stage unspecified	
H35.3211	Exudative age-related macular degeneration, right eye, with active choroidal neovascularization	
H35.3212	Exudative age-related macular degeneration, right eye, with inactive choroidal neovascularization	
H35.3213	Exudative age-related macular degeneration, right eye, with inactive scar	
H35.3220	Exudative age-related macular degeneration, left eye, stage unspecified	
H35.3221	Exudative age-related macular degeneration, left eye, with active choroidal neovascularization	
H35.3222	Exudative age-related macular degeneration, left eye, with inactive choroidal neovascularization	
H35.3223	Exudative age-related macular degeneration, left eye, with inactive scar	
H35.3230	Exudative age-related macular degeneration, bilateral, stage unspecified	
H35.3231	Exudative age-related macular degeneration, bilateral, with active choroidal neovascularization	
H35.3232	Exudative age-related macular degeneration, bilateral, with inactive choroidal neovascularization	
H35.3233	Exudative age-related macular degeneration, bilateral, with inactive scar	
H35.3290	Exudative age-related macular degeneration, unspecified eye, stage unspecified	
H35.3291	Exudative age-related macular degeneration, unspecified eye, with active choroidal neovascularization	



Medical Necessity Criteria





ICD-10	ICD-10 Description	
H35.3292	Exudative age-related macular degeneration, unspecified eye, with inactive choroidal neovascularization	
H35.3293	Exudative age-related macular degeneration, unspecified eye, with inactive scar	

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

The preceding information is intended for non-Medicare coverage determinations. Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determinations (NCDs) and/or Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. Local Coverage Articles (LCAs) may also exist for claims payment purposes or to clarify benefit eligibility under Part B for drugs which may be self-administered. The following link may be used to search for NCD, LCD, or LCA documents: https://www.cms.gov/medicare-coverage-database/search.aspx. Additional indications, including any preceding information, may be applied at the discretion of the health plan.

Medicare Part B Administrative Contractor (MAC) Jurisdictions			
Jurisdiction	Applicable State/US Territory	Contractor	
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC	
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC	
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)	
6	MN, WI, IL	National Government Services, Inc. (NGS)	
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.	
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)	
N (9)	FL, PR, VI	First Coast Service Options, Inc.	
J (10)	TN, GA, AL	Palmetto GBA	
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA	
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.	
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)	
15	КҮ, ОН	CGS Administrators, LLC	

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD/LCA): N/A



Page 8

Medical Necessity Criteria