

Moda Health PPORX Enhanced (PPO)
Moda Health PPORX (PPO)
Moda Health Central PPORX (PPO)
Moda Health NW PPORX (PPO)
Moda Health Southern PPORX (PPO)
Moda Health Metro PPORX (PPO)


Moda Health Plan, Inc
2020 Comprehensive Formulary
(complete list of covered drugs)

**Please read: this document
contains information about the
drugs we cover in this plan**

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

For more recent information or other questions, please visit modahealth.com/medicare or contact Moda Health Plan, Inc. Customer Service at 1-888-786-7509 from 7 a.m. to 8 p.m., Pacific Time, seven days a week from October 1 through March 31. (After March 31, your call will be handled by our automated phone systems Saturdays, Sundays, and holidays.) TTY users should call 711.

Y0115_CFC20A_C



Moda Health PPORX (PPO)
Moda Health PPORX Enhanced (PPO)
Moda Health Metro PPORX (PPO)
Moda Health Central PPORX (PPO)
Moda Health NW PPORX (PPO)
Moda Health Southern PPORX (PPO)

2020 Comprehensive Formulary
(List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

Formulary ID 00020018, Version 20

This formulary was updated on December 1, 2020. For more recent information or other questions, please contact Moda Health at 1-888-786-7509 or, for TTY users, 711, from 7 a.m. to 8 p.m., Pacific Time, seven days a week from October 1 through March 31 (After April 1, your call will be handled by our automated phone system Saturdays, Sundays and holidays), or visit www.modahealth.com/medicare.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Moda Health Plan, Inc. When it refers to “plan” or “our plan,” it means Moda Health.

This document includes a list of the drugs (formulary) for our plan which is current as of December 1, 2020. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2021, and from time to time during the year.

Moda Health Plan, Inc. is a PPO and a PDP with Medicare contracts. Enrollment in Moda Health Plan, Inc. depends on contract renewal.

Formulary ID 00020018, Version 20
Y0115_CFC20A_C

What is the Moda Health Formulary?

A formulary is a list of covered drugs selected by Moda Health in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Moda Health will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Moda Health network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but Moda Health may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Moda Health Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
 - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Moda Health Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2020 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2020 coverage year except as described above. This means these drugs will

remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year.

The enclosed formulary is current as of December 1, 2020. To get updated information about the drugs covered by Moda Health, please contact us. Our contact information appears on the front and back cover pages.

Moda Health posts the future formulary update files on our website, www.modahealth.com/medicare by the first of each month.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents”. If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Moda Health covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Moda Health requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from Moda Health before you fill your prescriptions. If you don't get approval, Moda Health may not cover the drug.
- **Quantity Limits:** For certain drugs, Moda Health limits the amount of the drug that Moda Health will cover. For example, Moda Health provides 30 tablets in 30 days per prescription for *olanzapine*. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Moda Health requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and

Drug B both treat your medical condition, Moda Health may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Moda Health will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Moda Health to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the Moda Health formulary?” on page iv for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Customer Service and ask if your drug is covered.

If you learn that Moda Health does not cover your drug, you have two options:

- You can ask Customer Service for a list of similar drugs that are covered by Moda Health. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Moda Health.
- You can ask Moda Health to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Moda Health Formulary?

You can ask Moda Health to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Moda Health limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Moda Health will only approve your request for an exception if the alternative drugs included on the plan’s formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary, tiering or utilization restriction exception you**

should submit a statement from your prescriber or physician supporting your request. Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 31-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 31-day supply of the medication. After your first 31-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of members in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

If you have a level of care change (such as going into or coming out of a skilled nursing facility or long term care home) we will cover a temporary 31-day transition supply (unless you have a prescription written for fewer days). If you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug (unless you have a prescription for fewer days) while you pursue a formulary exception.

For more information

For more detailed information about your Moda Health prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Moda Health, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Moda Health Formulary

The formulary that begins on page 1 provides coverage information about the drugs covered by Moda Health. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., LYRICA) and generic drugs are listed in lower-case italics (e.g., *valsartan*).

The information in the Requirements/Limits column tells you if Moda Health has any special requirements for coverage of your drug.

Utilization Management Restrictions

Abbreviation	Description	Explanation
AGE (Max 64 Years)	Age Restricted Drug	If you are 64 years or younger, the requirement for a prior authorization for this high risk medication (PA-HRM) does not apply to you. Please refer to the definition for PA-HRM below. For more information call Customer Service at 1-888-786-7509 from 7 a.m. to 8 p.m., Pacific Time, seven days a week, from October 1st to March 31 (after April 1, your call will be handled by our automated phone system Saturdays, Sundays and holidays). TTY users call 711.
LA	Limited Access Drug	This prescription may be available only at certain pharmacies. For more information call Customer Service at 1-888-786-7509 from 7 a.m. to 8 p.m., Pacific Time, seven days a week, from October 1st to March 31 (after April 1, your call will be handled by our automated phone system Saturdays, Sundays and holidays). TTY users call 711.
NDS	Non-Extended Days Supply	This prescription is limited to a 31-day supply. For more information call Customer Service at 1-888-786-7509 from 7 a.m. to 8 p.m., Pacific Time, seven days a week, from October 1st to March 31 (after April 1, your call will be handled by our automated phone system Saturdays, Sundays and holidays). TTY users call 711.
PA	Prior Authorization Restriction	You (or your physician) are required to get prior authorization from Moda Health before you fill your prescription for this drug. Without prior approval, Moda Health may not cover the drug. To request a coverage determination, please call Customer Service at 1-888-786-7509 from 7 a.m. to 8 p.m., Pacific Time, seven days a week, from October 1st to March 31 (after April 1, your call will be handled by our automated phone system Saturdays, Sundays and holidays). TTY users call 711.

Utilization Management Restrictions		
Abbreviation	Description	Explanation
PA BvD	Prior Authorization Restriction for Part B vs Part D Determination	This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from Moda Health to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, Moda Health may not cover the drug. To request a coverage determination, please call Customer Service at 1-888-786-7509 from 7 a.m. to 8 p.m., Pacific Time, seven days a week, from October 1st to March 31 (after April 1, your call will be handled by our automated phone system Saturdays, Sundays and holidays). TTY users call 711.
PA-HRM	Prior Authorization Restriction for High Risk Medications	This drug has been deemed by CMS to be potentially harmful and therefore, a High Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 years or older are required to get prior authorization from Moda Health before you fill your prescription for this drug. Without prior approval, Moda Health may not cover the drug. To request a coverage determination, please call Customer Service at 1-888-786-7509 from 7 a.m. to 8 p.m., Pacific Time, seven days a week, from October 1st to March 31 (after April 1, your call will be handled by our automated phone system Saturdays, Sundays and holidays). TTY users call 711.
NM	No Mail Order	This prescription is not eligible for Mail Order. For more information call Customer Service at 1-888-786-7509 from 7 a.m. to 8 p.m., Pacific Time, seven days a week, from October 1st to March 31 (after April 1, your call will be handled by our automated phone system Saturdays, Sundays and holidays). TTY users call 711.

Utilization Management Restrictions

Abbreviation	Description	Explanation
PA NSO	Prior Authorization Restriction for New Starts Only	<p>If you are a new member or if you have not taken this drug before, you (or your physician) are required to get prior authorization from Moda Health before you fill your prescription for this drug. Without prior approval, Moda Health may not cover the drug. To request a coverage determination, please call Customer Service at 1-888-786-7509 from 7 a.m. to 8 p.m., Pacific Time, seven days a week, from October 1st to March 31 (after April 1, your call will be handled by our automated phone system Saturdays, Sundays and holidays). TTY users call 711.</p>
PA NSO-HRM	Prior Authorization Restriction for New Starts Only and High Risk Medications	<p>If you are a new member or if you have not taken this drug before, you (or your physician) are required to get prior authorization from Moda Health before you fill your prescription for this drug. Additionally, this drug has been deemed by CMS to be potentially harmful and therefore, a High Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 years or older are required to get prior authorization from Moda Health before you fill your prescription for this drug. Without prior approval, Moda Health may not cover the drug. To request a coverage determination, please call Customer Service at 1-888-786-7509 from 7 a.m. to 8 p.m., Pacific Time, seven days a week, from October 1st to March 31 (after April 1, your call will be handled by our automated phone system Saturdays, Sundays and holidays). TTY users call 711.</p>

Utilization Management Restrictions

Abbreviation	Description	Explanation
QL	Quantity Limit Restriction	<p>Moda Health limits the amount of this drug that is covered per prescription, or within a specific time frame. Without prior approval, Moda Health may not cover the drug. To request a coverage determination, please call Customer Service at 1-888-786-7509 from 7 a.m. to 8 p.m., Pacific Time, seven days a week, from October 1st to March 31 (after April 1, your call will be handled by our automated phone system Saturdays, Sundays and holidays). TTY users call 711.</p>
ST	Step Therapy Restriction	<p>Before Moda Health will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you. To request a coverage determination, please call Customer Service at 1-888-786-7509 from 7 a.m. to 8 p.m., Pacific Time, seven days a week, from October 1st to March 31 (after April 1, your call will be handled by our automated phone system Saturdays, Sundays and holidays). TTY users call 711.</p>

Moda Health PPORX Enhanced (PPO)		
Deductible*	\$120.00 *(waived on Tier 1, Tier 2, & Tier 6)	
Drug Tier	up to a 31-day supply	up to a 93-day supply
Tier 1	\$2.00 copay	\$6.00 copay
Tier 2	\$20.00 copay	\$60.00 copay
Tier 3	\$45.00 copay	\$135.00 copay
Tier 4	\$100.00 copay	\$300.00 copay
Tier 5	30% coinsurance	drugs on this tier are limited to a 31-day supply
Tier 6	\$0 copay	drugs on this tier are limited to a 31-day supply

Moda Health PPORX (PPO)		
Deductible*	\$275.00 *(waived on Tier 1, Tier 2, & Tier 6)	
Drug Tier	up to a 31-day supply	up to a 93-day supply
Tier 1	\$5.00 copay	\$15.00 copay
Tier 2	\$15.00 copay	\$45.00 copay
Tier 3	\$47.00 copay	\$141.00 copay
Tier 4	\$100.00 copay	\$300.00 copay
Tier 5	28% coinsurance	drugs on this tier are limited to a 31-day supply
Tier 6	\$0 copay	drugs on this tier are limited to a 31-day supply

Moda Health Metro PPORX (PPO)		
Deductible*	\$250.00 *(waived on Tier 1, Tier 2, & Tier 6)	
Drug Tier	up to a 30-day supply	up to a 90-day supply
Tier 1	\$5.00 copay	\$15.00 copay
Tier 2	\$15.00 copay	\$45.00 copay
Tier 3	\$45.00 copay	\$135.00 copay
Tier 4	\$100.00 copay	\$300.00 copay
Tier 5	28% coinsurance	drugs on this tier are limited to a 30-day supply
Tier 6	\$0 copay	drugs on this tier are limited to a 30-day supply

Moda Health Central PPORX (PPO)		
Deductible*	\$175.00 *(waived on Tier 1, Tier 2, & Tier 6)	
Drug Tier	up to a 30-day supply	up to a 90-day supply
Tier 1	\$4.00 copay	\$12.00 copay
Tier 2	\$15.00 copay	\$45.00 copay
Tier 3	\$45.00 copay	\$135.00 copay
Tier 4	\$100.00 copay	\$300.00 copay
Tier 5	29% coinsurance	drugs on this tier are limited to a 30-day supply
Tier 6	\$0 copay	drugs on this tier are limited to a 30-day supply

Moda Health NW PPORX (PPO)		
Deductible*	\$275.00 *(waived on Tier 1, Tier 2, & Tier 6)	
Drug Tier	up to a 30-day supply	up to a 90-day supply
Tier 1	\$5.00 copay	\$15.00 copay
Tier 2	\$15.00 copay	\$45.00 copay
Tier 3	\$47.00 copay	\$141.00 copay
Tier 4	\$100.00 copay	\$300.00 copay
Tier 5	28% coinsurance	drugs on this tier are limited to a 30-day supply
Tier 6	\$0 copay	drugs on this tier are limited to a 30-day supply

Moda Health Southern PPORX (PPO)		
Deductible*	\$200.00 *(waived on Tier 1, Tier 2, & Tier 6)	
Drug Tier	up to a 30-day supply	up to a 90-day supply
Tier 1	\$4.00 copay	\$12.00 copay
Tier 2	\$15.00 copay	\$45.00 copay
Tier 3	\$45.00 copay	\$135.00 copay
Tier 4	\$100.00 copay	\$300.00 copay
Tier 5	29% coinsurance	drugs on this tier are limited to a 30-day supply
Tier 6	\$0 copay	drugs on this tier are limited to a 30-day supply

Table of Contents

Analgesics.....	3
Anesthetics.....	7
Anti-Addiction/Substance Abuse Treatment Agents.....	8
Antianxiety Agents.....	9
Antibacterials.....	10
Anticancer Agents.....	17
Anticholinergic Agents.....	31
Anticonvulsants.....	31
Antidementia Agents.....	36
Antidepressants.....	37
Antidiabetic Agents.....	39
Antifungals.....	44
Antigout Agents.....	46
Antihistamines.....	46
Anti-Infectives (Skin And Mucous Membrane).....	47
Antimigraine Agents.....	47
Antimycobacterials.....	49
Antinausea Agents.....	49
Antiparasite Agents.....	51
Antiparkinsonian Agents.....	52
Antipsychotic Agents.....	54
Antivirals (Systemic).....	59
Blood Products/Modifiers/Volume Expanders.....	66
Caloric Agents.....	70
Cardiovascular Agents.....	74
Central Nervous System Agents.....	84
Contraceptives.....	89
Dental And Oral Agents.....	96
Dermatological Agents.....	97
Devices.....	101
Enzyme Replacement/Modifiers.....	101
Eye, Ear, Nose, Throat Agents.....	103
Gastrointestinal Agents.....	108
Genitourinary Agents.....	111
Heavy Metal Antagonists.....	112
Hormonal Agents, Stimulant/Replacement/Modifying.....	113

Immunological Agents.....	120
Inflammatory Bowel Disease Agents.....	131
Irrigating Solutions.....	132
Metabolic Bone Disease Agents.....	132
Miscellaneous Therapeutic Agents.....	134
Ophthalmic Agents.....	137
Replacement Preparations.....	138
Respiratory Tract Agents.....	140
Skeletal Muscle Relaxants.....	145
Sleep Disorder Agents.....	145
Vasodilating Agents.....	146
Vitamins And Minerals.....	147

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml	1	QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-15 mg, 300-30 mg	2	QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-60 mg	2	QL (180 per 30 days)
<i>buprenorphine hcl injection solution</i> (Buprenex) 0.3 mg/ml	2	
<i>buprenorphine hcl injection syringe</i> 0.3 mg/ml	2	
<i>butalbital-acetaminophen-caff oral</i> (Esgic) <i>tablet 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral</i> (Fiorinal) <i>capsule 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral</i> <i>tablet 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>codeine sulfate oral tablet 15 mg, 30</i> <i>mg, 60 mg</i>	2	QL (180 per 30 days)
<i>endocet oral tablet 10-325 mg</i>	2	QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-</i> <i>325 mg</i>	2	QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	2	QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a</i> (Actiq) <i>handle 1,200 mcg, 1,600 mcg, 200</i> <i>mcg, 400 mcg, 600 mcg, 800 mcg</i>	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour</i> (Duragesic) <i>100 mcg/12hr, 12 mcg/12hr, 25 mcg/12hr,</i> <i>50 mcg/12hr, 75 mcg/12hr</i>	2	QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral</i> <i>solution 7.5-325 mg/15 ml</i>	2	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral</i> (Lorcet HD) <i>tablet 10-325 mg</i>	2	QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral</i> <i>tablet 2.5-325 mg</i>	2	QL (240 per 30 days)
<i>hydrocodone-acetaminophen oral</i> (Norco) <i>tablet 5-325 mg</i>	2	QL (240 per 30 days)
<i>hydrocodone-acetaminophen oral</i> (Norco) <i>tablet 7.5-325 mg</i>	2	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	2	QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)	2	QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	2	QL (180 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	5	PA; NM; NDS; QL (30 per 30 days)
<i>lorcet (hydrocodone) oral tablet 5-325 mg</i>	2	QL (240 per 30 days)
<i>lorcet hd oral tablet 10-325 mg</i>	2	QL (180 per 30 days)
<i>lorcet plus oral tablet 7.5-325 mg</i>	2	QL (180 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	
<i>methadone oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i> (Dolophine)	2	QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i> (Dolophine)	2	QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i>	2	QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	QL (180 per 30 days)
MORPHINE INJECTION SYRINGE 10 MG/ML	4	
<i>morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml</i>	2	
<i>morphine oral solution 10 mg/5 ml</i>	2	QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	2	QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG	3	QL (60 per 30 days)
NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG	3	QL (181 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg</i> (Roxicodone)	2	QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin)	3	QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	2	QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	QL (60 per 30 days)
<i>tramadol oral tablet 50 mg</i> (Ultram)	1	QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> (Ultracet)	2	QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	3	QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Nonsteroidal Anti-Inflammatory Agents		
CALDOLOR INTRAVENOUS RECON SOLN 800 MG/8 ML (100 MG/ML)	4	
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	2	PA
<i>diclofenac potassium oral tablet 50 mg</i>	2	
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> (Voltaren-XR)	2	
<i>diclofenac sodium oral tablet, delayed release (drlec) 25 mg, 50 mg, 75 mg</i>	2	
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Voltaren)	2	
<i>diclofenac sodium topical gel 3 %</i> (Solaraze)	2	PA; QL (100 per 28 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>	2	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	
<i>indomethacin oral capsule 25 mg</i>	1	QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>	1	QL (120 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	2	QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	2	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i> (Mobic)	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i> (Relafen)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	
<i>naproxen oral tablet, delayed release (drlec) 375 mg, 500 mg</i> (EC-Naprosyn)	2	
PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)	5	PA; NM; NDS; QL (224 per 28 days)
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
VOLTAREN TOPICAL GEL 1 %	3	
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 %</i>	2	QL (30 per 30 days)
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)	1	
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	
<i>lidocaine (pf) intravenous solution 20 mg/ml (2 %)</i> (Xylocaine (Cardiac (PF)))	1	
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine)	1	
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	
<i>lidocaine topical adhesive patch, medicated 5 %</i> (Lidoderm)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH, MEDICATED 1.8 %	3	PA; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet, delayed release (drlec) 333 mg</i>	2	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg, 8-2 mg</i> (Suboxone)	2	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg</i> (Suboxone)	2	QL (30 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	3	QL (336 per 365 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	3	QL (336 per 365 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS, DOSE PACK 0.5 MG (11)- 1 MG (42)	3	
<i>disulfiram oral tablet 250 mg, 500 mg</i> (Antabuse)	2	
LUCEMYRA ORAL TABLET 0.18 MG	5	NM; NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	
<i>naltrexone oral tablet 50 mg</i>	2	
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	3	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (1008 per 90 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML, 300 MG/1.5 ML	5	NM; NDS
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG	3	QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	3	QL (60 per 30 days)
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	QL (150 per 30 days)
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	2	QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	2	QL (180 per 30 days)
<i>diazepam 5 mg/ml oral conc 5 mg/ml</i>	2	QL (1200 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam oral concentrate 5 mg/ml</i> (Diazepam Intensol)	2	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	QL (120 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	1	QL (2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	2	QL (2 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	QL (30 per 30 days)
Antibacterials		
Aminoglycosides		
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML	5	PA BvD; NM; NDS
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	1	
<i>streptomycin intramuscular recon soln 1 gram</i>	2	
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NM; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	2	
Antibacterials, Miscellaneous		
<i>baciim intramuscular recon soln 50,000 unit</i>	2	
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>	2	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	5	PA BvD; NM; NDS
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin)	5	NM; NDS
FIRVANQ ORAL RECON SOLN 25 MG/ML, 50 MG/ML	4	
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	5	NM; NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	5	NM; NDS
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NM; NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	2	
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	2	
<i>metronidazole oral tablet 250 mg</i>	1	
<i>metronidazole oral tablet 500 mg</i> (Flagyl)	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin)	2	QL (120 per 30 days)
<i>nitrofurantoin monohydlm-cryst oral capsule 100 mg</i> (Macrobid)	2	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	
SYNERCID INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
<i>trimethoprim oral tablet 100 mg</i>	1	
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>vancomycin oral capsule 125 mg, 250 mg</i> (Vancocin)	2	
XIFAXAN ORAL TABLET 200 MG	5	PA; NM; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS
Cephalosporins		
<i>cefactor oral capsule 250 mg, 500 mg</i>	2	
<i>cefactor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefditoren pivoxil oral tablet 200 mg</i>	4	
<i>cefditoren pivoxil oral tablet 400 mg</i> (Spectracef)	4	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	
<i>cefixime oral capsule 400 mg</i> (Suprax)	2	
<i>cefotaxime injection recon soln 1 gram</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ceftazidime injection recon soln 1 gram, 2 gram</i> (Fortaz)	2	
<i>ceftazidime injection recon soln 6 gram</i> (Tazicef)	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i> (Keflex)	1	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; NDS
Macrolides		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	
<i>azithromycin oral packet 1 gram</i> (Zithromax)	4	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
DIFICID ORAL TABLET 200 MG	5	ST; NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	2	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	
<i>meropenem intravenous recon soln 1 gram</i> (Merrem)	2	
<i>meropenem intravenous recon soln 500 mg</i> (Merrem)	2	
<i>meropenem-0.9% nacl 500 mg/500 mg/50 ml</i>	2	
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i> (Augmentin)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	
<i>ampicillin oral capsule 250 mg, 500 mg</i>	2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
<i>nafcillin 1 gml 50 ml inj 1 gram/50 ml</i>	2	
<i>nafcillin injection recon soln 1 gram</i>	2	
<i>nafcillin injection recon soln 10 gram</i>	5	NM; NDS
<i>nafcillin injection recon soln 2 gram</i>	2	
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	2	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>pfizerpen-g injection recon soln 20 million unit</i>	2	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	PA BvD
Quinolones		
BAXDELA ORAL TABLET 450 MG	5	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	2	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	
<i>moxifloxacin oral tablet 400 mg</i>	2	
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	2	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	2	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	
<i>sulfatrim oral suspension 200-40 mg/5 ml</i>	4	
Tetracyclines		
<i>doxy-100 intravenous recon soln 100 mg</i>	2	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	2	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	2	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	2	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin)	2	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	
<i>doxycycline monohydrate oral tablet 50 mg</i>	2	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>mondoxyne nl oral capsule 100 mg, 50 mg</i>	2	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NM; NDS
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg</i> (Zytiga)	5	PA NSO; NM; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	NM; NDS
ADCETRIS INTRAVENOUS RECON SOLN 50 MG	5	PA NSO; NM; NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	2	PA BvD
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NM; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	5	NM; NDS
<i>arsenic trioxide intravenous solution</i> (Trisenox) <i>2 mg/ml</i>	5	NM; NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NM; NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
BESPONSА INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS; QL (420 per 30 days)
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BLENREP INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	5	NM; NDS; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>clofarabine intravenous solution 20 mg/20 ml</i> (Clolar)	5	NM; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml</i>	5	PA BvD; NM; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	2	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NM; LA; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; LA; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	5	NM; NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (Adriamycin)	2	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	5	PA BvD; NM; NDS
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ENHERTU INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	2	
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor)	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NM; NDS
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i>	2	
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NM; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; NM; NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 40 MG, 5 MG	4	
GLEOSTINE ORAL CAPSULE 100 MG	5	NM; NDS
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS; QL (5 per 21 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG	5	PA NSO; NM; NDS
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	
<i>ifosfamide-mesna intravenous kit 1-1 gram, 3,000-1,000 mg</i>	2	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	NM; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NM; NDS
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	2	
LEUKERAN ORAL TABLET 2 MG	4	
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MONJUVI INTRAVENOUS RECON SOLN 200 MG	5	PA NSO; NM; NDS
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	NM; NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	5	PA NSO; NM; NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (14 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG-30000 UNIT/15ML	5	PA NSO; NM; NDS; QL (15 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 600 MG-600 MG-20000 UNIT/10ML	5	PA NSO; NM; NDS; QL (10 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG	5	PA NSO; NM; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; NM; NDS; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; LA; NDS; QL (28 per 28 days)
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NM; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NM; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TARGRETIN TOPICAL GEL 1 %	5	PA NSO; NM; NDS; QL (60 per 28 days)
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NM; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
<i>thiotepa injection recon soln 100 mg, 15 mg</i> (Tepadina)	5	NM; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>toposar intravenous solution 20 mg/ml</i>	2	
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS
TRAZIMERA INTRAVENOUS RECON SOLN 420 MG	5	PA NSO; NM; NDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	NM; NDS; QL (1 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	5	NM; NDS; QL (1 per 28 days)
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRODELVY INTRAVENOUS RECON SOLN 180 MG	5	PA NSO; NM; NDS
TRUXIMA INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TYKERB ORAL TABLET 250 MG	5	PA NSO; NM; NDS
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NM; NDS
<i>valrubicin intravesical solution 40 mg/ml</i> (Valstar)	5	NM; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NM; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	5	PA NSO; NM; NDS; QL (20 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (20 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	5	PA NSO; NM; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	5	PA NSO; NM; NDS; QL (12 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	5	PA NSO; NM; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYTIGA ORAL TABLET 250 MG, 500 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
Anticholinergic Agents		
Antimuscarinics/Antispasmodics		
<i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i>	4	
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BANZEL ORAL SUSPENSION 40 MG/ML	5	ST; NM; NDS
BANZEL ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	4	QL (80 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BRIVIACT ORAL SOLUTION 10 MG/ML	5	NM; NDS; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	5	NM; NDS; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i> (Epitol)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	
CELONTIN ORAL CAPSULE 300 MG	4	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	2	PA NSO; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	2	PA NSO; QL (60 per 30 days)
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	4	
DIASTAT RECTAL KIT 2.5 MG	4	
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diasat AcuDial)	4	
<i>diazepam rectal kit 2.5 mg</i> (Diasat)	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	
<i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i>	2	
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	2	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	4	ST; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	QL (120 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG	4	ST
PEGANONE ORAL TABLET 250 MG	4	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i> (Lyrica)	2	QL (90 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	
SABRIL ORAL TABLET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	
<i>topiramate oral capsule, sprinkle, er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i> (Qudexy XR)	4	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	
<i>valproic acid oral capsule 250 mg</i>	2	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	4	
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i>	5	PA NSO; NM; NDS; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	3	QL (200 per 5 days)
VIMPAT ORAL SOLUTION 10 MG/ML	3	QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	3	QL (60 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 350 MG/DAY (200 MG X1-150MG X1)	5	PA NSO; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XCOPRI ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14)	4	PA NSO
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	5	PA NSO; NM; NDS
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i>	2	
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	2	QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	QL (360 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	2	QL (60 per 30 days)
NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	3	
NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	3	QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr</i> (Exelon)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	2	
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	2	
<i>citalopram oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i> (Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	2	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	2	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	2	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>doxepin oral concentrate 10 mg/ml</i>	1	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release (drlec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	2	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	
PAXIL ORAL SUSPENSION 10 MG/5 ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NM; NDS
<i>tranlycypromine oral tablet 10 mg</i> (Parnate)	2	
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	
<i>trazodone oral tablet 300 mg</i>	2	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	2	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	3	QL (30 per 30 days)
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	3	
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	5	NM; NDS
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	QL (90 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVOKAMET ORAL TABLET 50-500 MG	3	QL (120 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
INVOKANA ORAL TABLET 100 MG	3	QL (60 per 30 days)
INVOKANA ORAL TABLET 300 MG	3	QL (30 per 30 days)
JANUMET ORAL TABLET 50- 1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100- 1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50- 1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5- 850 MG	4	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	4	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	4	ST; QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i> (Glucophage)	1	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i> (Glucophage)	1	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i> (Glucophage)	1	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i> (Glucophage XR)	1	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i> (Glucophage XR)	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML)	3	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>	2	QL (120 per 30 days)
<i>repaglinide oral tablet 1 mg</i> (Prandin)	2	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i> (Prandin)	2	QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5- 1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	4	ST; QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
Insulins		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)	
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)	
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	QL (40 per 28 days)	
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	QL (24 per 28 days)	
<i>insulin asp prt-insulin aspart</i> <i>subcutaneous insulin pen 100 unit/ml</i> (70-30)	(Novolog Mix 70- 30FlexPen U-100)	2	QL (30 per 28 days)
<i>insulin asp prt-insulin aspart</i> <i>subcutaneous solution 100 unit/ml</i> (70-30)	(Novolog Mix 70-30 U- 100 Insuln)	2	QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> <i>cartridge 100 unit/ml</i>	(Novolog PenFill U- 100 Insulin)	2	QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> <i>insulin pen 100 unit/ml (3 ml)</i>	(Novolog Flexpen U- 100 Insulin)	2	QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> <i>solution 100 unit/ml</i>	(Novolog U-100 Insulin aspart)	2	QL (40 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)	
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)	
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70- 30)	3	QL (40 per 28 days)	
NOVOLIN 70-30 FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	QL (30 per 28 days)	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70- 30)	3	QL (40 per 28 days)
NOVOLOG MIX 70- 30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	3	QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	ST; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	QL (13.5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	3	QL (18 per 28 days)
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	ST; QL (15 per 28 days)
Sulfonylureas		
<i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl)	1	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	1	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i> (Glucotrol)	1	QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i> (Glucotrol)	1	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	2	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL)	2	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	2	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	2	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> (Glynase)	2	
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	2	
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	
<i>tolazamide oral tablet 250 mg</i>	2	QL (120 per 30 days)
<i>tolazamide oral tablet 500 mg</i>	2	QL (60 per 30 days)
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	5	PA BvD; NM; NDS
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amphotericin b injection recon soln</i> 50 mg	2	PA BvD
<i>caspofungin intravenous recon soln</i> (Cancidas) 50 mg, 70 mg	5	NM; NDS
<i>ciclopirox topical cream 0.77%</i> (Ciclodan)	2	
<i>ciclopirox topical solution 8%</i> (Ciclodan)	2	
<i>clotrimazole mucous membrane troche</i> 10 mg	2	
<i>clotrimazole topical cream 1%</i> (Antifungal (clotrimazole))	1	
<i>clotrimazole-betamethasone topical cream 1-0.05%</i>	2	
<i>econazole topical cream 1%</i>	2	
<i>fluconazole in nacl (iso-osm) intravenous piggyback</i> 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml	2	PA BvD
<i>fluconazole oral suspension for reconstitution</i> 10 mg/ml, 40 mg/ml (Diflucan)	2	
<i>fluconazole oral tablet</i> 100 mg, 150 mg, 200 mg, 50 mg (Diflucan)	2	
<i>flucytosine oral capsule</i> 250 mg, 500 mg (Ancobon)	5	NM; NDS
<i>griseofulvin microsize oral suspension</i> 125 mg/5 ml	2	
<i>griseofulvin microsize oral tablet</i> 500 mg	2	
<i>itraconazole oral capsule</i> 100 mg (Sporanox)	2	
<i>ketoconazole oral tablet</i> 200 mg	2	
<i>ketoconazole topical cream</i> 2%	2	
<i>ketoconazole topical shampoo</i> 2%	2	
<i>miconazole-3 vaginal suppository</i> 200 mg	2	
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)	5	NM; NDS
<i>nyamyc topical powder</i> 100,000 unit/gram	2	
<i>nystatin oral suspension</i> 100,000 unit/ml	2	
<i>nystatin oral tablet</i> 500,000 unit	2	
<i>nystatin topical cream</i> 100,000 unit/gram	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nystatin topical ointment 100,000 unit/gram</i>	2	
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	2	
<i>nystop topical powder 100,000 unit/gram</i>	2	
<i>posaconazole oral tablet, delayed release (drlec) 100 mg</i> (Noxafil)	5	NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	5	NM; NDS
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg, 300 mg</i> (Zyloprim)	1	
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	2	QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	4	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG	3	QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	
Antihistamines		
Antihistamines		
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	2	
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i> (Diphen)	1	
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	
<i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)	2	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	
<i>metronidazole vaginal gel 0.75 %</i> (Metrogel Vaginal)	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	2	
Antimigraine Agents		
Antimigraine Agents		
AIMOVIG AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR 70 MG/ML	3	PA; QL (2 per 30 days)
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML	3	PA; QL (1 per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i> (D.H.E.45)	5	NM; NDS; QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	NM; NDS; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
ERGOMAR SUBLINGUAL TABLET 2 MG	2	QL (20 per 28 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (16 per 30 days)
REYVOW ORAL TABLET 100 MG	3	PA; QL (8 per 30 days)
REYVOW ORAL TABLET 50 MG	3	PA; QL (4 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)	2	QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	2	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i> (Imitrex)	2	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i> (Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	1	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	1	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
VYEPTI INTRAVENOUS SOLUTION 100 MG/ML	4	PA; QL (3 per 90 days)
Antimycobacterials		
Antimycobacterials		
CAPASTAT INJECTION RECON SOLN 1 GRAM	4	
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg</i>	2	
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	2	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	4	
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	2	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	
<i>rifampin oral capsule 150 mg, 300 mg</i> (Rifadin)	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NM; NDS
TRECTOR ORAL TABLET 250 MG	4	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i> (Emend)	2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	2	PA BvD; QL (6 per 28 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML	4	QL (36 per 28 days)
<i>compro rectal suppository 25 mg</i>	2	
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA; QL (60 per 30 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg</i> (Emend (fosaprepitant))	2	QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 100 mcg/ml</i>	2	
<i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	2	
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	2	
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	2	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	
<i>ondansetron hcl oral tablet 24 mg, 8 mg</i>	2	PA BvD
<i>ondansetron hcl oral tablet 4 mg</i> (Zofran)	2	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	2	
<i>prochlorperazine maleate oral tablet</i> (Compazine) 10 mg, 5 mg	1	
<i>prochlorperazine rectal suppository</i> (Compro) 25 mg	2	
<i>promethazine injection solution</i> 25 (Phenergan) mg/ml, 50 mg/ml	2	
<i>promethazine oral tablet</i> 12.5 mg, 25 mg, 50 mg	1	
<i>promethazine rectal suppository</i> (Promethegan) 12.5 mg, 50 mg	2	
<i>promethazine rectal suppository</i> 25 (Phenadoz) mg	2	
<i>promethegan rectal suppository</i> 12.5 mg, 25 mg, 50 mg	2	
<i>scopolamine base transdermal patch</i> (Transderm-Scop) 3 day 1 mg over 3 days	2	QL (10 per 30 days)
TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS	4	QL (10 per 30 days)
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet</i> 200 mg (Albenza)	5	NM; NDS
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	5	NM; NDS
ALINIA ORAL TABLET 500 MG	5	NM; NDS
<i>atovaquone oral suspension</i> 750 (Mepron) mg/5 ml	5	NM; NDS
<i>atovaquone-proguanil oral tablet</i> (Malarone) 250-100 mg	2	
<i>atovaquone-proguanil oral tablet</i> (Malarone Pediatric) 62.5-25 mg	2	
<i>chloroquine phosphate oral tablet</i> 250 mg, 500 mg	2	
COARTEM ORAL TABLET 20- 120 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	2	
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	2	
KRINTAFEL ORAL TABLET 150 MG	4	
<i>mefloquine oral tablet 250 mg</i>	2	
<i>paromomycin oral capsule 250 mg</i>	2	
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	2	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	2	
PRIMAQUINE ORAL TABLET 26.3 MG	2	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NM; NDS
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	5	PA; NM; NDS; QL (60 per 30 days)
<i>benztropine injection solution 1 mg/ml</i> (Cogentin)	2	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	2	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i> (Sinemet)	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	4	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>carbidopa-levodopa-entacapone oral</i> (Stalevo 100) <i>tablet 25-100-200 mg</i>	4	
<i>carbidopa-levodopa-entacapone oral</i> (Stalevo 125) <i>tablet 31.25-125-200 mg</i>	4	
<i>carbidopa-levodopa-entacapone oral</i> (Stalevo 150) <i>tablet 37.5-150-200 mg</i>	4	
<i>carbidopa-levodopa-entacapone oral</i> (Stalevo 200) <i>tablet 50-200-200 mg</i>	4	
<i>entacapone oral tablet 200 mg</i> (Comtan)	2	
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 137 MG	5	PA; NM; NDS; QL (60 per 30 days)
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 68.5 MG	5	PA; NM; NDS; QL (30 per 30 days)
INBRIJA 42 MG INHALATION CAP 42 MG	5	PA; NM; NDS; QL (300 per 30 days)
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NM; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg,</i> (Mirapex) <i>0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ropinirole oral tablet 0.25 mg, 3 mg, 5 mg</i> (Requip)	2	
<i>ropinirole oral tablet 0.5 mg, 1 mg, 2 mg, 4 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	
XADAGO ORAL TABLET 100 MG, 50 MG	5	PA; NM; NDS; QL (30 per 30 days)
Antipsychotic Agents		
Antipsychotic Agents		
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NM; NDS; QL (1 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NM; NDS; QL (1 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i>	5	NM; NDS; QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	2	QL (60 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	5	ST; NM; NDS; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	5	ST; NM; NDS; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 56 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 28 days)
CAPLYTA ORAL CAPSULE 42 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet 100 mg</i> (Clozaril)	2	QL (270 per 30 days)
<i>clozapine oral tablet 200 mg</i> (Clozaril)	2	QL (135 per 30 days)
<i>clozapine oral tablet 25 mg, 50 mg</i> (Clozaril)	2	QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 25 mg</i>	2	ST; QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating 150 mg</i>	2	ST; QL (180 per 30 days)
<i>clozapine oral tablet, disintegrating 200 mg</i>	5	ST; NM; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG	4	ST; QL (60 per 30 days)
FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	2	
<i>haloperidol decanoate intramuscular solution 50 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol lactate injection solution 5 mg/ml</i> (Haldol)	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	4	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	5	NM; NDS; QL (0.875 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	5	NM; NDS; QL (1.315 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	5	NM; NDS; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i>	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, (Zyprexa) 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	2	QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended (Invega) release 24hr 1.5 mg, 3 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended (Invega) release 24hr 6 mg</i>	2	QL (60 per 30 days)
<i>paliperidone oral tablet extended (Invega) release 24hr 9 mg</i>	5	NM; NDS; QL (30 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTEND REL SYR KIT 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	
<i>quetiapine oral tablet 100 mg, 200 (Seroquel) mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
REXULTI ORAL TABLET 0.25 MG	5	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	4	QL (4 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	NM; NDS; QL (4 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	1	QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	1	QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	2	QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 3 mg, 4 mg</i>	2	QL (120 per 30 days)
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	5	ST; NM; NDS; QL (60 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg,</i> (Geodon) <i>40 mg, 60 mg, 80 mg</i>	2	QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular</i> (Geodon) <i>recon soln 20 mg/ml (final conc.)</i>	2	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	
<i>abacavir oral tablet 300 mg</i> (Ziagen)	2	
<i>abacavir-lamivudine oral tablet 600-</i> (Epzicom) <i>300 mg</i>	2	
<i>abacavir-lamivudine-zidovudine oral</i> (Trizivir) <i>tablet 300-150-300 mg</i>	5	NM; NDS
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	5	NM; NDS
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg, 200</i> (Reyataz) <i>mg, 300 mg</i>	5	NM; NDS
ATRIPLA ORAL TABLET 600- 200-300 MG	5	NM; NDS
BIKTARVY ORAL TABLET 50- 200-25 MG	5	NM; NDS
CIMDUO ORAL TABLET 300- 300 MG	5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	4	
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 200- 25 MG	5	NM; NDS
<i>didanosine oral capsule, delayed release(drlec) 125 mg, 200 mg, 250 mg, 400 mg</i>	2	
DOVATO ORAL TABLET 50- 300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg</i> (Sustiva)	5	NM; NDS
<i>efavirenz oral capsule 50 mg</i> (Sustiva)	2	
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	5	NM; NDS
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil tablet 400-300-300 mg</i> (Symfi Lo)	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil tablet 600-300-300 mg</i> (Symfi)	5	NM; NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	2	
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)	5	NM; NDS
EMTRIVA ORAL CAPSULE 200 MG	4	
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
EVOTAZ ORAL TABLET 300- 150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150- 150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 100 MG, 200 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
KALETRA ORAL TABLET 100-25 MG	4	
KALETRA ORAL TABLET 200-50 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	2	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	2	
<i>nevirapine oral tablet 200 mg</i> (Viramune)	2	
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	2	
<i>nevirapine oral tablet extended release 24 hr 400 mg</i> (Viramune XR)	2	
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	5	NM; NDS
PREZISTA ORAL TABLET 75 MG	4	
RESCRIPTOR ORAL TABLET 200 MG	4	
RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG	4	
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SYMFI LO ORAL TABLET 400-300-300 MG	5	NM; NDS
SYMFI ORAL TABLET 600-300-300 MG	5	NM; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)
VIDEX 2 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	4	
VIDEX EC ORAL CAPSULE, DELAYED RELEASE (DR/EC) 125 MG	4	
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
Antivirals, Miscellaneous		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	2	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NM; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NM; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
Hcv Antivirals		
EPCLUSA ORAL TABLET 200-50 MG, 400-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG, 90-400 MG	5	PA; NM; NDS; QL (28 per 28 days)
<i>ledipasvir-sofosbuvir oral tablet 90-400 mg</i> (Harvoni)	5	PA; NM; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i> (Epclusa)	5	PA; NM; NDS; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SOVALDI ORAL TABLET 200 MG, 400 MG	5	PA; NM; NDS; QL (28 per 28 days)
TECHNIVIE ORAL TABLET 12.5-75-50 MG	5	PA; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VIEKIRA PAK ORAL TABLETS,DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	5	PA; NM; NDS
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	5	PA; NM; NDS; QL (30 per 30 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NM; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	5	PA NSO; NM; NDS
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NM; NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	NM; NDS
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	5	PA NSO; NM; NDS
Nucleosides And Nucleotides		
<i>acyclovir oral capsule 200 mg</i>	2	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	2	PA BvD
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	5	NM; NDS
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	
<i>ganciclovir sodium intravenous recon soln 500 mg</i> (Cytovene)	2	PA BvD
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
<i>ribasphere oral capsule 200 mg</i>	2	
<i>ribasphere oral tablet 600 mg</i>	5	NM; NDS
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	5	PA BvD; NM; NDS
<i>ribavirin oral capsule 200 mg</i>	2	
<i>ribavirin oral tablet 200 mg</i>	2	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	5	NM; NDS
Blood		
Products/Modifiers/Volume		
Expanders		
Anticoagulants		
BEVYXXA ORAL CAPSULE 40 MG, 80 MG	4	QL (43 per 42 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	3	QL (60 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	2	
<i>enoxaparin subcutaneous syringe 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml</i> (Lovenox)	2	
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i> (Arixtra)	5	NM; NDS
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	2	
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	2	
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	2	
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	4	ST; QL (60 per 30 days)
<i>warfarin oral tablet 1 mg, 10 mg, 2 (Jantoven) mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
Blood Formation Modifiers		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; NDS; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (15 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (15 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (15 per 30 days)
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
EPOGEN INJECTION SOLUTION 20,000 UNIT/ML	5	PA; NM; NDS; QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NM; NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NM; NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NM; NDS; QL (7 per 7 days)
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
PROCRIT INJECTION SOLUTION 20,000 UNIT/ML	5	PA; NM; NDS; QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROCRIT INJECTION SOLUTION 40,000 UNIT/ML	5	PA; NM; NDS; QL (6 per 28 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (360 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG, 50 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (120 per 30 days)
PROMACTA ORAL TABLET 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	2	PA; QL (6 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	NM; NDS
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
Hematologic Agents, Miscellaneous		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	5	PA; NM; NDS
<i>protamine intravenous solution 10 mg/ml</i>	2	
SIKLOS ORAL TABLET 1,000 MG, 100 MG	4	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution</i> (Cyklokapron) <i>1,000 mg/10 ml (100 mg/ml)</i>	2	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er (Aggrenox) multiphase 12 hr 25-200 mg</i>	2	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 75 mg (Plavix)</i>	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel oral tablet 10 mg, 5 mg (Effient)</i>	2	QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	4	PA BvD
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN-PF 7 % (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 5%/D25W SULFITE- FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%-D25W SULF- FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 2.75%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D25W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D25W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINOLIPID INTRAVENOUS EMULSION 20 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dextrose 10 % in water (d10w)</i> <i>intravenous parenteral solution 10 %</i>	4	PA BvD
<i>dextrose 25 % in water (d25w)</i> <i>intravenous syringe</i>	4	PA BvD
<i>dextrose 30 % in water (d30w)</i> <i>intravenous parenteral solution</i>	4	PA BvD
<i>dextrose 40 % in water (d40w)</i> <i>intravenous parenteral solution 40 %</i>	4	PA BvD
<i>dextrose 5 % in water (d5w)</i> <i>intravenous parenteral solution</i>	2	
<i>dextrose 50 % in water (d50w)</i> <i>intravenous parenteral solution</i>	4	PA BvD
<i>dextrose 50 % in water (d50w)</i> <i>intravenous syringe</i>	4	PA BvD
<i>dextrose 70 % in water (d70w)</i> <i>intravenous parenteral solution</i>	4	PA BvD
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	4	PA BvD
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	4	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	4	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
<i>smoflipid intravenous emulsion 20 %</i>	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	4	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> (Catapres)	1	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	2	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	2	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	2	QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	2	
<i>guanfacine oral tablet 1 mg, 2 mg</i>	1	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG	5	PA; NM; NDS; QL (180 per 30 days)
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	2	
Angiotensin II Receptor Antagonists		
EDARBI ORAL TABLET 40 MG, 80 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24- 26 MG, 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	1	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	2	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	2	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	2	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	2	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	2	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	2	
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	
<i>benazepril oral tablet 5 mg</i>	1	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	2	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	
<i>lisinopril oral tablet 10 mg, 20 mg</i> (Prinivil)	1	
<i>lisinopril oral tablet 2.5 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	2	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	2	
Antiarrhythmic Agents		
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	
<i>amiodarone oral tablet 400 mg</i> (Pacerone)	2	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	2	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2%), 50 mg/5 ml (1%)</i>	1	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 200 mg</i>	1	
<i>pacerone oral tablet 400 mg</i>	2	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	
<i>procainamide intravenous syringe 100 mg/ml</i>	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	2	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	2	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac)	1	
BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	3	
BYVALSON ORAL TABLET 5-80 MG	3	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	
<i>labetalol intravenous solution 5 mg/ml</i>	2	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	2	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	2	
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i> (Lopressor HCT)	2	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i> (Lopressor)	2	
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>propranolol intravenous solution 1 mg/ml</i>	2	
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	2	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine)	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiadylt ER)	2	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	2	
<i>diltiazem hcl oral tablet 90 mg</i>	2	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	2	
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	2	
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> (Verelan)	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i> (Verelan)	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	1	
Cardiovascular Agents, Miscellaneous		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	QL (560 per 28 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	QL (60 per 30 days)
DEMSER ORAL CAPSULE 250 MG	5	NM; NDS
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	
DIGOXIN ORAL SOLUTION 50 MCG/ML (0.05 MG/ML)	4	
<i>digoxin oral tablet 125 mcg (0.125 mg)</i> (Digitek)	2	
<i>digoxin oral tablet 250 mcg (0.25 mg)</i> (Digitek)	2	
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	QL (4 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>epinephrine injection auto-injector</i> (Auvi-Q) 0.3 mg/0.3 ml	2	QL (4 per 30 days)
<i>epinephrine injection solution 1</i> (Adrenalin) mg/ml	1	
<i>hydralazine injection solution 20</i> mg/ml	2	
<i>hydralazine oral tablet 10 mg, 100</i> <i>mg, 25 mg, 50 mg</i>	2	
<i>icatibant subcutaneous syringe 30</i> (Firazyr) <i>mg/3 ml</i>	5	PA; NM; NDS; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NM; NDS
<i>ranolazine oral tablet extended</i> (Ranexa) <i>release 12 hr 1,000 mg, 500 mg</i>	2	
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML, 0.3 MG/0.3 ML	3	QL (4 per 30 days)
VYNDAMAX ORAL CAPSULE 61 MG	5	PA; NM; NDS; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (120 per 30 days)
Dihydropyridines		
<i>afeditab cr oral tablet extended</i> <i>release 30 mg</i>	2	
<i>amlodipine oral tablet 10 mg, 2.5</i> (Norvasc) <i>mg, 5 mg</i>	1	
<i>amlodipine-benazepril oral capsule</i> (Lotrel) <i>10-20 mg, 10-40 mg, 5-10 mg, 5-20</i> <i>mg, 5-40 mg</i>	2	
<i>amlodipine-benazepril oral capsule</i> <i>2.5-10 mg</i>	2	
<i>amlodipine-valsartan oral tablet 10-</i> (Exforge) <i>160 mg, 10-320 mg, 5-160 mg, 5-320</i> <i>mg</i>	2	
<i>nicardipine oral capsule 20 mg, 30</i> <i>mg</i>	2	
<i>nifedipine oral tablet extended</i> (Procardia XL) <i>release 24hr 30 mg, 60 mg, 90 mg</i>	2	
<i>nifedipine oral tablet extended</i> (Adalat CC) <i>release 30 mg, 60 mg, 90 mg</i>	2	
Diuretics		
<i>amiloride oral tablet 5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide injection solution 0.25 mg/ml</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorothiazide oral tablet 250 mg, 500 mg</i>	2	
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	2	
<i>furosemide injection syringe 10 mg/ml</i>	2	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NM; NDS; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NM; NDS; QL (56 per 28 days)
<i>methyclothiazide oral tablet 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	
<i>toremide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> (Dyazide)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>triamterene-hydrochlorothiazid oral capsule 50-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	
Dyslipidemics		
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	1	
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	
<i>cholestyramine light oral powder 4 gram</i>	2	
<i>cholestyramine light packet 4 gram</i>	2	
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	2	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	2	
<i>colestipol oral packet 5 gram</i> (Colestid)	2	
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>	2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	5	PA; NM; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG	5	PA; NM; NDS; QL (45 per 30 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	
NEXLETOL ORAL TABLET 180 MG	3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>niacin oral tablet 500 mg</i> (Niacor)	2	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> (Niaspan Extended-Release)	2	
<i>niacor oral tablet 500 mg</i>	2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	4	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	1	
<i>pravastatin oral tablet 20 mg, 40 mg</i> (Pravachol)	1	
<i>prevalite oral powder in packet 4 gram</i>	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	4	QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	4	QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	4	QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	2	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Zocor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg</i>	1	QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	3	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	3	QL (120 per 30 days)
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	3	
WELCHOL ORAL TABLET 625 MG	3	
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	
<i>epplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TEKTURNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG	3	ST
Vasodilators		
BIDIL ORAL TABLET 20-37.5 MG	3	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	2	
<i>isosorbide dinitrate oral tablet extended release 40 mg</i> (ISOCHRON)	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>minitran transdermal patch 24 hour 0.1 mg/1hr, 0.2 mg/1hr, 0.4 mg/1hr, 0.6 mg/1hr</i>	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/1hr, 0.2 mg/1hr, 0.4 mg/1hr, 0.6 mg/1hr</i> (Minitran)	2	
Central Nervous System Agents		
Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	2	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	2	QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NM; NDS; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG	5	PA; NM; NDS; QL (4 per 28 days)
AVONEX INTRAMUSCULAR PEN INJECTOR 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution</i> (Cafcit) <i>60 mg/3 ml (20 mg/ml)</i>	2	PA BvD
<i>caffeine citrate oral solution</i> 60 <i>mg/3 ml (20 mg/ml)</i>	2	
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	5	PA; NM; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	5	PA; NM; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended</i> (Ampyra) <i>release 12 hr 10 mg</i>	5	PA; NM; NDS; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet</i> 10 (Focalin) <i>mg, 2.5 mg, 5 mg</i>	2	QL (60 per 30 days)
<i>dextroamphetamine oral tablet</i> 10 (Zenzedi) <i>mg, 5 mg</i>	2	QL (180 per 30 days)
<i>dextroamphetamine-amphetamine</i> (Adderall XR) <i>oral capsule,extended release 24hr</i> <i>10 mg, 15 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine</i> (Adderall XR) <i>oral capsule,extended release 24hr</i> <i>20 mg, 25 mg, 30 mg</i>	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine</i> (Adderall) <i>oral tablet 10 mg, 12.5 mg, 15 mg,</i> <i>20 mg, 30 mg, 5 mg, 7.5 mg</i>	2	QL (60 per 30 days)
<i>dimethyl fumarate oral</i> (Tecfidera) <i>capsule,delayed release(drlec) 120</i> <i>mg</i>	5	PA; NM; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral</i> (Tecfidera) <i>capsule,delayed release(drlec) 120</i> <i>mg (14)- 240 mg (46)</i>	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dimethyl fumarate oral capsule, delayed release (drlec) 240 mg</i> (Tecfidera)	5	PA; NM; NDS; QL (60 per 30 days)
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>	2	
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	
INGREZZA INITIATION PACK ORAL CAPSULE, DOSE PACK 40 MG (7)- 80 MG (21)	5	PA; NM; NDS
INGREZZA ORAL CAPSULE 40 MG, 80 MG	5	PA; NM; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NM; NDS; QL (1.2 per 28 days)
LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML	5	PA; NM; NDS; QL (6 per 365 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	1	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	
<i>lithium citrate oral solution 8 meq/5 ml</i>	4	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 30 mg</i> (Ritalin LA)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	QL (90 per 30 days)
<i>methylphenidate la 30 mg cap 30 mg</i> (Ritalin LA)	2	QL (60 per 30 days)
NUEDEXTA ORAL CAPSULE 20-10 MG	3	PA; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML	5	PA; NM; NDS; QL (2800 per 28 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; NM; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; NM; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NM; NDS
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NM; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG	5	PA; NM; NDS; QL (14 per 7 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46)	5	PA; NM; NDS
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 240 MG	5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
tetrabenazine oral tablet 12.5 mg, (Xenazine) 25 mg	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
ZEPOSIA ORAL CAPSULE 0.92 MG	5	PA; NM; NDS; QL (30 per 30 days)
ZEPOSIA STARTER KIT ORAL CAPSULE,DOSE PACK 0.23- 0.46-0.92 MG	5	PA; NM; NDS
ZEPOSIA STARTER PACK ORAL CAPSULE,DOSE PACK 0.23 MG (4)- 0.46 MG (3)	5	PA; NM; NDS
Contraceptives		
Contraceptives		
afirmelle oral tablet 0.1-20 mg-mcg	2	
altavera (28) oral tablet 0.15-0.03 mg	2	
alyacen 1/35 (28) oral tablet 1-35 mg-mcg	2	
alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	
amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)	2	QL (91 per 84 days)
amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	2	QL (91 per 84 days)
apri oral tablet 0.15-0.03 mg	2	
aranelle (28) oral tablet 0.5/1/0.5- 35 mg-mcg	2	
ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	2	QL (91 per 84 days)
aubra oral tablet 0.1-20 mg-mcg	2	
aurovela 1.5/30 (21) oral tablet 1.5- 30 mg-mcg	2	
aurovela 1/20 (21) oral tablet 1-20 mg-mcg	2	
aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	2	
<i>ayuna oral tablet 0.15-0.03 mg</i>	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>balziva (28) oral tablet 0.4-35 mg- mcg</i>	2	
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg- 20 mcg (21)/75 mg (7)</i>	2	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	
<i>camila oral tablet 0.35 mg</i>	2	
<i>caziant (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>	2	
<i>cryselle (28) oral tablet 0.3-30 mg- mcg</i>	2	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>cyred oral tablet 0.15-0.03 mg</i>	2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	2	
<i>delyla (28) oral tablet 0.1-20 mg- mcg</i>	2	
<i>desog-e.estradiolle.estradiol oral (Azurette (28)) tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Apri)	2	
<i>drosiprone-ethinyl estradiol oral tablet 3-0.02 mg</i> (Jasmiel (28))	2	
<i>drosiprone-ethinyl estradiol oral tablet 3-0.03 mg</i> (Syeda)	2	
<i>elimest oral tablet 0.3-30 mg-mcg</i>	2	
ELLA ORAL TABLET 30 MG	4	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	2	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	2	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	2	
<i>errin oral tablet 0.35 mg</i>	2	
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i> (Kelnor 1/35 (28))	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i> (Kelnor 1-50)	2	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> (EluRyng)	2	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	2	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>hailey oral tablet 1.5-30 mg-mcg</i>	2	
<i>heather oral tablet 0.35 mg</i>	2	
<i>incassia oral tablet 0.35 mg</i>	2	
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	2	
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	2	
<i>jencycla oral tablet 0.35 mg</i>	1	
<i>jolivette oral tablet 0.35 mg</i>	4	
<i>juleber oral tablet 0.15-0.03 mg</i>	2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>kalliga oral tablet 0.15-0.03 mg</i>	2	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>kelnor 1-50 oral tablet 1-50 mg-mcg</i>	2	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	2	
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> (Amethia Lo)	2	QL (91 per 84 days)
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> (Fayosim)	2	QL (91 per 84 days)
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (Amethia)	2	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>larissia oral tablet 0.1-20 mg-mcg</i>	2	
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>	4	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> (Afirmelle)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> (Altavera (28))	2	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (Introvale)	2	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (Enpresse)	2	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	2	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	2	
<i>lojaimiess oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	2	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	2	
<i>lutura (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>lyza oral tablet 0.35 mg</i>	2	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>mili oral tablet 0.25-35 mg-mcg</i>	2	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	2	
<i>mononessa (28) oral tablet 0.25-35 mg-mcg</i>	4	
<i>myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nikki (28) oral tablet 3-0.02 mg</i>	2	
<i>nora-be oral tablet 0.35 mg</i>	4	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i> (Jencycla)	2	
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i> (Aurovela 1.5/30 (21))	2	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> (Aurovela 1/20 (21))	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Aurovela Fe 1-20 (28))	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (Aurovela 24 Fe)	2	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (Aurovela Fe 1.5/30 (28))	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (Tri-Lo-Estarylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (Tri Femynor)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> (Estarylla)	2	
<i>norlyda oral tablet 0.35 mg</i>	2	
<i>norlyroc oral tablet 0.35 mg</i>	2	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>	2	
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	2	
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg, 1-35 mg-mcg</i>	2	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	2	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	2	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	2	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	2	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	2	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	2	
<i>syeda oral tablet 3-0.03 mg</i>	2	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tulana oral tablet 0.35 mg</i>	2	
<i>velivet triphasic regimen (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>	2	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	2	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	2	
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	2	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	2	
<i>zenchent (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	2	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	2	
Dental And Oral Agents		
Dental And Oral Agents		
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> (Paroex Oral Rinse)	1	
<i>oralone dental paste 0.1 %</i>	2	
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>periogard mucous membrane mouthwash 0.12 %</i>	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))	2	
<i>triamcinolone acetonide dental paste 0.1 %</i> (Oralene)	2	
Dermatological Agents		
Dermatological Agents, Other		
<i>acitretin oral capsule 10 mg, 25 mg</i> (Soriatane)	2	
<i>acitretin oral capsule 17.5 mg</i>	2	
<i>acyclovir topical ointment 5 %</i> (Zovirax)	2	QL (30 per 30 days)
ALCOHOL PADS TOPICAL PADS, MEDICATED	1	
<i>ammonium lactate topical cream 12 %</i> (Geri-Hydrolac)	2	
<i>ammonium lactate topical lotion 12 %</i> (Geri-Hydrolac)	2	
<i>calcipotriene scalp solution 0.005 %</i>	2	
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	2	
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NM; NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
<i>imiquimod topical cream in packet 5 %</i> (Aldara)	2	QL (24 per 30 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i> (Oxsoralen Ultra)	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS
PICATO TOPICAL GEL 0.015 %	3	QL (3 per 56 days)
PICATO TOPICAL GEL 0.05 %	3	QL (2 per 56 days)
<i>podofilox topical solution 0.5 %</i>	2	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	
TOLAK TOPICAL CREAM 4 %	4	
VALCHLOR TOPICAL GEL 0.016 %	5	NM; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Dermatological Antibacterials		
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	2	
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	2	
<i>ery pads topical swab 2 %</i>	2	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	2	
<i>erythromycin with ethanol topical solution 2 %</i>	2	
<i>erythromycin with ethanol topical swab 2 %</i> (Ery Pads)	2	
<i>gentamicin topical cream 0.1 %</i>	2	
<i>gentamicin topical ointment 0.1 %</i>	2	
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 1 %</i> (Metrogel)	2	
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	2	
<i>mupirocin topical ointment 2 %</i> (Centany)	1	
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	
<i>rosadan topical cream 0.75 %</i>	2	
<i>selenium sulfide topical lotion 2.5 %</i>	2	
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	2	
<i>ssd topical cream 1 %</i>	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	2	
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i>	1	
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i> (Temovate)	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>clocortolone pivalate topical cream 0.1 %</i> (Cloderm)	4	
<i>cormax scalp solution 0.05 %</i>	2	
<i>desoximetasone topical cream 0.25 %</i> (Topicort)	2	
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluocinonide-e topical cream 0.05 %</i>	2	
<i>fluticasone propionate topical cream 0.05 %</i> (Cutivate)	2	
<i>fluticasone propionate topical ointment 0.005 %</i>	2	
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydrocortisone topical cream 2.5 %</i>	1	
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>mometasone topical cream 0.1 %</i>	2	
<i>mometasone topical ointment 0.1 %</i>	2	
<i>mometasone topical solution 0.1 %</i>	2	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	
<i>prednicarbate topical cream 0.1 %</i>	4	
<i>prednicarbate topical ointment 0.1 %</i>	2	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	2	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> , (Protopic)	2	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)	2	
Dermatological Retinoids		
<i>adapalene topical cream 0.1 %</i> (Differin)	2	
<i>adapalene topical gel 0.1 %</i> (Differin)	2	
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	2	
TAZORAC TOPICAL CREAM 0.05 %	4	
<i>tretinoin topical cream 0.025 %</i> (Avita)	2	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical gel 0.05 %</i> (Atralin)	2	PA
Scabicides And Pediculicides		
<i>malathion topical lotion 0.5 %</i> (Ovide)	2	
<i>permethrin topical cream 5 %</i> (Elimite)	2	
Devices		
Devices		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	2	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	2	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	
INSULIN SYRINGE-NEEDLE (Ultilet Insulin Syringe) U-100 SYRINGE 0.3 ML 29 GAUGE	2	
INSULIN SYRINGE-NEEDLE (Advocate Syringes) U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	2	
INSULIN SYRINGE-NEEDLE (Lite Touch Insulin Syringe) U-100 SYRINGE 1/2 ML 28 GAUGE	2	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips)	2	
V-GO 40 DISPOSABLE DEVICE	2	
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NM; NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NM; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; NM; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; NM; NDS
KUVAN ORAL TABLET,SOLUBLE 100 MG	5	NM; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	PA; NM; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NM; NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	5	PA; NM; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; NM; NDS
ORFADIN ORAL CAPSULE 20 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NM; NDS
<i>sapropterin oral tablet, soluble 100</i> (Kuvan) <i>mg</i>	5	NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NM; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT	3	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
<i>apraclonidine ophthalmic (eye)</i> <i>drops 0.5 %</i>	2	
<i>atropine ophthalmic (eye) drops 1</i> (Isopto Atropine) <i>%</i>	4	
<i>azelastine nasal aerosol, spray 137</i> <i>mcg (0.1 %)</i>	2	QL (30 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	2	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	NM; NDS
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>ipratropium bromide nasal spray, non-aerosol 0.03 %</i>	2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)</i>	2	QL (15 per 10 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %, 0.2 %</i> (Pataday)	2	
<i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i>	4	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine)	2	
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	5	PA; NM; NDS
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>acetic acid-aluminum acetate otic (ear) drops 2 %</i>	2	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i> (Baciguent)	2	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	2	
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	2	
CIPRODEX OTIC (EAR) DROPS, SUSPENSION 0.3-0.1 %	3	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> (Ciloxan)	1	
<i>ciprofloxacin hcl otic (ear) dropperette 0.2 %</i> (Cetraxal)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i> (Ciprodex)	2	
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	
MOXEZA OPHTHALMIC (EYE) DROPS, VISCOUS 0.5 %	3	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	2	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	
<i>ofloxacin ophthalmic (eye) drops (Ocuflox) 0.3 %</i>	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	
<i>polymyxin b sulf-trimethoprim (Polytrim) ophthalmic (eye) drops 10,000 unit-1 mg/ml</i>	1	
<i>sulfacetamide sodium ophthalmic (Bleph-10) (eye) drops 10 %</i>	2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	
<i>tobramycin ophthalmic (eye) drops (Tobrex) 0.3 %</i>	1	
<i>tobramycin-dexamethasone (TobraDex) ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	2	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	2	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	ST
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	3	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	QL (50 per 25 days)
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	1	
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	2	
LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 %	3	
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Nasonex)	2	QL (34 per 28 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	3	QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	2	
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	2	
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	
<i>famotidine intravenous solution 10 mg/ml</i>	2	
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	
<i>lansoprazole oral capsule, delayed release(drlec) 15 mg</i> (Prevacid)	2	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(drlec) 30 mg</i> (Prevacid)	2	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	
<i>omeprazole oral capsule, delayed release(drlec) 10 mg, 20 mg, 40 mg</i>	1	
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (Zegerid)	2	ST; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	2	
<i>pantoprazole oral tablet, delayed release (drlec) 20 mg</i> (Protonix)	1	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (drlec) 40 mg</i> (Protonix)	1	QL (60 per 30 days)
<i>sucralfate oral tablet 1 gram</i> (Carafate)	2	
Gastrointestinal Agents, Other		
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	5	NM; NDS
<i>constulose oral solution 10 gram/15 ml</i>	2	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	2	
<i>dicyclomine oral capsule 10 mg</i>	2	
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	
<i>dicyclomine oral tablet 20 mg</i>	2	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	2	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	2	
<i>enulose oral solution 10 gram/15 ml</i>	2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NM; NDS
<i>generlac oral solution 10 gram/15 ml</i>	2	
<i>glycopyrrolate injection solution 0.2 mg/ml</i>	2	
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	2	
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	2	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	QL (90 per 30 days)
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	2	
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	2	
<i>metoclopramide hcl injection solution 5 mg/ml</i>	2	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	2	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NM; NDS
RELISTOR ORAL TABLET 150 MG	5	PA; NM; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NM; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	5	PA; NM; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	5	PA; NM; NDS; QL (11.2 per 28 days)
<i>sodium phenylbutyrate oral tablet</i> (Buphenyl) 500 mg	5	NM; NDS
<i>sodium polystyrene (sorb free) oral suspension 15 gram/60 ml</i>	2	
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>ursodiol oral capsule 300 mg</i> (Actigall)	2	
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	2	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	QL (30 per 30 days)
VIBERZI ORAL TABLET 100 MG, 75 MG	5	ST; NM; NDS; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (90 per 30 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
<i>gavilyte-c oral recon soln 240-22.72- 6.72 -5.84 gram</i>	2	
<i>gavilyte-g oral recon soln 236-22.74- 6.74 -5.86 gram</i>	2	
<i>gavilyte-n oral recon soln 420 gram</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>peg 3350-electrolytes oral recon soln</i> (Gavilyte-C) 240-22.72-6.72 -5.84 gram	4	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13- 1.6 GRAM	3	
<i>trilyte with flavor packets oral recon soln</i> 420 gram	2	
Phosphate Binders		
<i>calcium acetate(phosphat bind) oral capsule</i> 667 mg	2	
<i>calcium acetate(phosphat bind) oral tablet</i> 667 mg	2	
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
<i>sevelamer carbonate oral powder in packet</i> 0.8 gram, 2.4 gram (Renvela)	5	NM; NDS
<i>sevelamer carbonate oral tablet</i> 800 mg (Renvela)	2	
<i>sevelamer hcl oral tablet</i> 400 mg	2	
<i>sevelamer hcl oral tablet</i> 800 mg (Renagel)	2	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet</i> 10 mg, 25 mg, 5 mg, 50 mg	2	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup</i> 5 mg/5 ml	2	
<i>oxybutynin chloride oral tablet</i> 5 mg	2	
<i>oxybutynin chloride oral tablet extended release 24hr</i> 10 mg, 5 mg (Ditropan XL)	2	
<i>oxybutynin chloride oral tablet extended release 24hr</i> 15 mg	2	
<i>tolterodine oral capsule,extended release 24hr</i> 2 mg, 4 mg (Detrol LA)	2	
<i>tolterodine oral tablet</i> 1 mg, 2 mg (Detrol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	3	
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	
PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG	5	NM; NDS
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
THIOLA EC ORAL TABLET, DELAYED RELEASE (DR/EC) 100 MG, 300 MG	5	PA; NM; NDS
THIOLA ORAL TABLET 100 MG	5	NM; NDS
Heavy Metal Antagonists		
Heavy Metal Antagonists		
<i>clovique oral capsule 250 mg</i>	5	PA; NM; NDS; QL (240 per 30 days)
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)	5	PA; NM; NDS
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> (Exjade)	5	PA; NM; NDS
<i>deferiprone oral tablet 500 mg</i> (Ferriprox)	5	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram, 500 mg</i> (Desferal)	2	PA
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NM; NDS
FERRIPROX ORAL TABLET 1,000 MG, 500 MG	5	PA; NM; NDS
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG	5	PA; NM; NDS
<i>penicillamine oral capsule 250 mg</i> (Cuprimine)	5	PA; NM; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>trientine oral capsule 250 mg</i> (Clovique)	5	PA; NM; NDS; QL (240 per 30 days)
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
ANADROL-50 ORAL TABLET 50 MG	5	PA; NM; NDS
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1%)</i> (Vogelxo)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62%)</i> (AndroGel)	2	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1% (25 mg/2.5gram), 1% (50 mg/5 gram)</i> (AndroGel)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/lapp 30 mg/lactuation (1.5 ml)</i>	2	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)
Estrogens And Antiestrogens		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	2	
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DUAVEE ORAL TABLET 0.45-20 MG	3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)	2	QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	2	QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	2	
<i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)	2	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen)	2	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Amabelz)	2	
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	
<i>jinteli oral tablet 1-5 mg-mcg</i>	2	
<i>mimvey lo oral tablet 0.5-0.1 mg</i>	2	
<i>mimvey oral tablet 1-0.5 mg</i>	2	
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)	2	
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvafem vaginal tablet 10 mcg</i>	2	QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids		
<i>a-hydrocort injection recon soln 100 mg</i>	2	
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	2	
<i>cortisone oral tablet 25 mg</i>	2	
<i>decadron oral elixir 0.5 mg/5 ml</i>	2	PA BvD
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	2	PA BvD
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)	1	PA BvD
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	1	PA BvD
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NM; NDS; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG	5	PA; NM; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	2	
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Medrol)	2	
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	2	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methylprednisolone sodium succ</i> (Solu-Medrol) <i>intravenous recon soln 1,000 mg,</i> <i>500 mg</i>	2	
<i>prednisolone 15 mg/5 ml soln alf, dlf</i> <i>15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5</i> <i>ml</i>	2	PA BvD
<i>prednisolone sodium phosphate oral</i> <i>solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD
<i>prednisolone sodium phosphate oral</i> (Pediapred) <i>solution 5 mg base/5 ml (6.7 mg/5</i> <i>ml)</i>	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg,</i> <i>2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets,dose pack 10</i> <i>mg, 10 mg (48 pack), 5 mg, 5 mg</i> <i>(48 pack)</i>	2	
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML	4	
<i>triamcinolone acetonide injection</i> (Kenalog) <i>suspension 40 mg/ml</i>	2	
Pituitary		
BYNFEZIA SUBCUTANEOUS PEN INJECTOR 2,500 MCG/ML	5	NM; NDS
<i>desmopressin 10 mcg/0.1 ml spr 10</i> <i>mcg/spray (0.1 ml)</i>	2	
<i>desmopressin injection solution 4</i> (DDAVP) <i>mcg/ml</i>	2	
<i>desmopressin nasal spray,non-</i> <i>aerosol 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, 0.2</i> (DDAVP) <i>mg</i>	2	
EGRIFTA SUBCUTANEOUS RECON SOLN 1 MG	5	PA; NM; NDS; QL (60 per 30 days)
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML	4	PA
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	5	PA; NM; NDS
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	5	PA; NM; NDS
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	5	PA; NM; NDS
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	5	PA; NM; NDS
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NM; NDS
NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOCDURNA (WOMEN) SUBLINGUAL TABLET, DISINTEGRATING 27.7 MCG	3	QL (30 per 30 days)
NORDITROPIN FLEXP SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML)	5	PA; NM; NDS
NORDITROPIN FLEXP SUBCUTANEOUS PEN INJECTOR 5 MG/1.5 ML (3.3 MG/ML)	4	PA
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution</i> <i>1,000 mcg/ml, 200 mcg/ml</i>	2	
<i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	2	
<i>octreotide acetate injection syringe</i> <i>100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	2	
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	5	PA; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	5	PA; NM; NDS
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	5	PA; NM; NDS
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NM; NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NM; NDS; QL (1 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML, 90 MG/0.3 ML	5	PA; NM; NDS; QL (1 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	NM; NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	NM; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG	5	PA; NM; NDS
ZOMACTON SUBCUTANEOUS RECON SOLN 5 MG	4	PA
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Progestins		
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	4	QL (10 per 28 days)
<i>hydroxyprogesterone cap(ppres)</i> (Makena) <i>intramuscular oil 250 mg/ml</i>	5	NM; NDS
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>suspension 150 mg/ml</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>syringe 150 mg/ml</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10</i> (Provera) <i>mg, 2.5 mg, 5 mg</i>	1	
<i>megestrol oral suspension 400 mg/10</i> <i>ml (40 mg/ml)</i>	2	
<i>norethindrone acetate oral tablet 5</i> (Aygestin) <i>mg</i>	2	
<i>progesterone intramuscular oil 50</i> <i>mg/ml</i>	2	
<i>progesterone micronized oral</i> (Prometrium) <i>capsule 100 mg, 200 mg</i>	2	
Thyroid And Antithyroid Agents		
<i>levothyroxine oral tablet 100 mcg,</i> (Euthyrox) <i>112 mcg, 125 mcg, 137 mcg, 150</i> <i>mcg, 175 mcg, 200 mcg, 25 mcg, 50</i> <i>mcg, 75 mcg, 88 mcg</i>	1	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	
<i>liothyronine oral tablet 25 mcg, 5</i> (Cytomel) <i>mcg, 50 mcg</i>	2	
<i>methimazole oral tablet 10 mg, 5 mg</i> (Tapazole)	1	
<i>propylthiouracil oral tablet 50 mg</i>	2	
Immunological Agents		
Immunological Agents		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NM; NDS
AVSOLA INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	2	PA BvD
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	2	PA BvD
<i>cyclosporine modified oral capsule 50 mg</i>	2	PA BvD
<i>cyclosporine modified oral solution 100 mg/ml</i> (Gengraf)	2	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	2	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet 0.25 mg</i>	2	PA BvD
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet 0.5 mg, 0.75 mg</i>	5	PA BvD; NM; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE	4	PA BvD
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i>	2	PA BvD
<i>gengraf oral solution 100 mg/ml</i>	2	PA BvD
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	4	
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NM; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NM; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
IMOGAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)	2	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	2	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	2	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OLUMIANT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NM; NDS
OTEZLA ORAL TABLET 30 MG	5	PA; NM; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NM; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REMICADE INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
RENFLIXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NM; NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG	5	PA; NM; NDS
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	5	PA; NM; NDS
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	2	PA BvD
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	5	PA BvD; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 80 MG/ML	5	PA; NM; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NM; NDS
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; NM; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
ZORTRESS ORAL TABLET 1 MG	5	PA BvD; NM; NDS
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	6	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	6	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	6	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	6	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	6	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	6	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	6	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	6	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	6	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	6	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	6	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	6	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF- MCG-LF/0.5ML	6	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	6	
IPOLETT INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	6	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	6	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	6	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	6	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	6	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	6	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	6	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	6	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	6	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	6	
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 62 DU/0.5 ML	6	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	6	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	6	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	6	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	6	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	6	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	6	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	6	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	6	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	6	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	6	
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	6	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	6	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	6	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	6	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	6	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	6	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	6	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	6	QL (1 per 365 days)
Inflammatory Bowel Disease		
Agents		
Inflammatory Bowel Disease Agents		
<i>alosetron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	5	NM; NDS
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i> (Entocort EC)	2	
<i>colocort rectal enema 100 mg/60 ml</i>	2	
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	4	
LIALDA ORAL TABLET,DELAYED RELEASE (DR/EC) 1.2 GRAM	3	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	2	
<i>mesalamine oral capsule,extended release 24hr 0.375 gram</i> (Apriso)	2	
<i>mesalamine oral tablet,delayed release (drlec) 1.2 gram</i> (Lialda)	2	
<i>mesalamine oral tablet,delayed release (drlec) 800 mg</i> (Asacol HD)	2	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	5	NM; NDS
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	
<i>sulfasalazine oral tablet,delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs)	2	
UCERIS RECTAL FOAM 2 MG/ACTUATION	3	
Irrigating Solutions		
Irrigating Solutions		
<i>acetic acid irrigation solution 0.25 %</i>	4	
LACTATED RINGERS IRRIGATION SOLUTION	4	
<i>sodium chloride irrigation solution 0.9 %</i> (Aqua Care Sodium Chloride)	4	
<i>water for irrigation, sterile irrigation solution</i> (Aqua Care Sterile Water)	4	
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray,non-aerosol 200 unit/lactuation</i>	2	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	
<i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)	5	NM; NDS; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	5	NM; NDS; QL (120 per 30 days)
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i> (Hectorol)	2	
EVENITY 105 MG/1.17 ML SYRINGE 105 MG/1.17 ML	5	PA; NM; NDS; QL (2.34 per 30 days)
EVENITY SUBCUTANEOUS SYRINGE 210MG/2.34ML (105MG/1.17MLX2)	5	PA; NM; NDS; QL (2.34 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML)	3	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i> (Boniva)	2	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	2	QL (1 per 28 days)
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	5	NM; NDS
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (2 per 28 days)
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	2	
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	2	
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	2	
<i>paricalcitol oral capsule 4 mcg</i>	2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>teriparatide subcutaneous pen injector 20 mcg/dose - 620 mcg/2.48 ml</i>	3	PA; QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	2	QL (100 per 300 days)
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	NM; NDS
<i>amifostine crystalline intravenous recon soln 500 mg</i> (Ethyol)	2	
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NM; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
CABLIVI INJECTION KIT 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
CETYLEV ORAL TABLET, EFFERVESCENT 2.5 GRAM, 500 MG	4	
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	5	NM; NDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	
<i>droperidol injection solution 2.5 mg/ml</i>	2	
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NM; NDS; QL (180 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NM; NDS
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; NM; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NM; NDS
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	3	
<i>guanidine oral tablet 125 mg</i>	4	
GVOKE HYPOPEN 1PK 0.5 MG/0.1 ML 0.5 MG/0.1 ML	3	
GVOKE HYPOPEN 1-PK 1 MG/0.2 ML 1 MG/0.2 ML	3	
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1PK 0.5 MG/0.1 ML SYR 0.5 MG/0.1 ML	3	
GVOKE PFS 1-PK 1 MG/0.2 ML SYR 1 MG/0.2 ML	3	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	1	
<i>hydroxyzine pamoate oral capsule</i> (Vistaril) 25 mg, 50 mg	1	
KEVEYIS ORAL TABLET 50 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	2	
<i>leucovorin calcium injection solution 10 mg/ml</i>	2	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	
<i>levocarnitine (with sugar) oral</i> (Carnitor) <i>solution 100 mg/ml</i>	2	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LEVOLEUCOVORIN CALCIUM INTRAVENOUS RECON SOLN 175 MG	4	
<i>levoleucovorin calcium intravenous recon soln 50 mg</i> (Fusilev)	5	NM; NDS
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	2	
MESNEX ORAL TABLET 400 MG	5	NM; NDS
MESTINON ORAL SYRUP 60 MG/5 ML	5	NM; NDS
PROCYSBI ORAL GRANULES DEL RELEASE IN PACKET 300 MG, 75 MG	5	NM; NDS
PROGLYCEM ORAL SUSPENSION 50 MG/ML	4	
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	2	
<i>pyridostigmine bromide oral tablet 30 mg</i>	2	
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NM; NDS; QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	3	
<i>dorzolamide ophthalmic (eye) drops (Trusopt) 2 %</i>	2	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml (Cosopt)</i>	2	
<i>latanoprost ophthalmic (eye) drops 0.005 % (Xalatan)</i>	1	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	2	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 % (Isopto Carpine)</i>	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 % (Timoptic)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> (Timoptic-XE)	4	
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	2	QL (2.5 per 25 days)
Replacement Preparations		
Replacement Preparations		
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	4	
<i>klor-con m10 oral tablet, er particles/crystals 10 meq</i>	2	
<i>klor-con m15 oral tablet, er particles/crystals 15 meq</i>	2	
<i>klor-con m20 oral tablet, er particles/crystals 20 meq</i>	2	
<i>klor-con sprinkle oral capsule, extended release 8 meq</i>	2	
K-SOL ORAL LIQUID 20 MEQ/15 ML	2	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	2	PA BvD
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	2	PA BvD
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	PA BvD
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	
<i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)</i>	2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral tablet (K-Tab) extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral tablet (K-Tab) extended release 20 meq</i>	4	
<i>potassium chloride oral tablet,er (Klor-Con M10) particles/crystals 10 meq</i>	2	
<i>potassium chloride oral tablet,er (Klor-Con M20) particles/crystals 20 meq</i>	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium citrate oral tablet (Urocit-K 10) extended release 10 meq (1,080 mg)</i>	2	
<i>potassium citrate oral tablet (Urocit-K 15) extended release 15 meq</i>	2	
<i>potassium citrate oral tablet (Urocit-K 5) extended release 5 meq (540 mg)</i>	2	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled Corticosteroids		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	3	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115- 21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 28 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)	2	PA BvD
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	3	QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	3	QL (24 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	3	QL (21.2 per 28 days)
<i>fluticasone propion-salmeterol</i> (Wixela Inhub) <i>inhalation blister with device 100-50</i> <i>mcg/dose, 250-50 mcg/dose, 500-50</i> <i>mcg/dose</i>	2	QL (60 per 30 days)
SYMBICORT 160-4.5 MCG INHALER 160-4.5 MCG/ACTUATION	3	QL (12 per 30 days)
SYMBICORT 80-4.5 MCG INHALER 80-4.5 MCG/ACTUATION	3	QL (13.8 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160- 4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	3	QL (10.2 per 30 days)
<i>wixela inhub inhalation blister with</i> <i>device 100-50 mcg/dose, 250-50</i> <i>mcg/dose, 500-50 mcg/dose</i>	2	QL (60 per 30 days)
Antileukotrienes		
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	
<i>montelukast oral tablet, chewable 4</i> (Singulair) <i>mg, 5 mg</i>	1	
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	2	
Bronchodilators		
<i>albuterol 5 mg/ml solution 5 mg/ml</i>	2	PA BvD
<i>albuterol sulfate inhalation hfa</i> (ProAir HFA) <i>aerosol inhaler 90 mcg/lactuation</i>	2	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa</i> <i>aerosol inhaler 90 mcg/lactuation</i> <i>(nda020503)</i>	2	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa</i> <i>aerosol inhaler 90 mcg/lactuation</i> <i>(nda020983)</i>	2	QL (36 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>	2	PA BvD
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	3	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	3	
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD
LONHALA MAGNAIR 25 MCG STARTER 25 MCG/ML	3	QL (60 per 30 days)
LONHALA MAGNAIR REFILL INHALATION SOLUTION FOR NEBULIZATION 25 MCG/ML	3	QL (60 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	
<i>metaproterenol oral tablet 10 mg, 20 mg</i>	2	
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	3	QL (2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NM; NDS
<i>theophylline oral solution 80 mg/15 ml</i>	2	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION	3	QL (1 per 30 days)
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION (30 ACTUAT)	3	QL (2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Respiratory Tract Agents, Other		
<i>acetylcysteine intravenous solution</i> (Acetadote) 200 mg/ml (20%)	2	
<i>acetylcysteine solution</i> 100 mg/ml (10%), 200 mg/ml (20%)	2	PA BvD
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization</i> 20 mg/2 ml	2	PA BvD
DALIRESP ORAL TABLET 250 MCG	3	QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	3	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	5	PA; NM; NDS; QL (90 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO- INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150- 188 MG	5	PA; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (120 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,L/F,SUV 1,000 MG (+/-)/20 ML	5	PA BvD; NM; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NM; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N)	5	PA; NM; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NM; NDS
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg</i>	2	
<i>chlorzoxazone oral tablet 500 mg</i>	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	
<i>dantrolene oral capsule 100 mg</i>	2	
<i>dantrolene oral capsule 25 mg, 50 mg</i> (Dantrium)	2	
<i>methocarbamol oral tablet 500 mg</i>	2	
<i>methocarbamol oral tablet 750 mg</i> (Robaxin-750)	2	
<i>revonto intravenous recon soln 20 mg</i>	2	
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (30 per 30 days)
SILENOR ORAL TABLET 3 MG, 6 MG	3	QL (30 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	5	PA; NM; LA; NDS; QL (540 per 30 days)
XYWAV ORAL SOLUTION 0.5 GRAM/ML	5	PA; NM; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	QL (30 per 30 days)
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	5	PA; NM; NDS; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NM; NDS; QL (30 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)	5	PA; NM; LA; NDS; QL (60 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg</i> (Flolan)	2	PA
<i>epoprostenol (glycine) intravenous recon soln 1.5 mg</i> (Flolan)	5	PA; NM; NDS
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG	3	PA
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.25 MG, 1 MG, 2.5 MG, 5 MG	5	PA; NM; NDS
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i> (Revatio)	5	PA; NM; NDS; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	2	PA; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tadalafil (pulm. hypertension) oral (Alyq) tablet 20 mg</i>	5	PA; NM; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	5	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>treprostinil sodium injection solution (Remodulin) 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i>	5	PA; NM; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NM; NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS
Vitamins And Minerals		
Vitamins And Minerals		
<i>pnv prenatal plus multivit tab slf, gluten-free (rx) 27 mg iron- 1 mg</i>	3	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

<i>abacavir</i>	59	AFINITOR DISPERZ.....	17	<i>amantadine hcl</i>	52
<i>abacavir-lamivudine</i>	59	<i>afirmelle</i>	89	AMBISOME.....	44
<i>abacavir-lamivudine-</i>		<i>a-hydrocort</i>	115	<i>ambrisentan</i>	146
<i>zidovudine</i>	59	AIMOVIG		<i>amethia</i>	89
ABELCET.....	44	AUTOINJECTOR.....	47	<i>amethia lo</i>	89
ABILIFY MAINTENA.....	54	AIMOVIG		<i>amifostine crystalline</i>	134
<i>abiraterone</i>	17	AUTOINJECTOR (2 PACK).....	47	<i>amiloride</i>	80
ABRAXANE.....	17	AJOVY AUTOINJECTOR....	47	<i>amiloride-hydrochlorothiazide</i> ..	81
<i>acamprosate</i>	8	AJOVY SYRINGE.....	47	AMINOSYN 10 %.....	70
<i>acarbose</i>	39	AKYNZEO		AMINOSYN 7 % WITH	
<i>acebutolol</i>	77	(FOSNETUPITANT).....	49	ELECTROLYTES.....	70
<i>acetaminophen-codeine</i>	3	AKYNZEO		AMINOSYN 8.5 %.....	70
<i>acetazolamide</i>	137	(NETUPITANT).....	49	AMINOSYN 8.5 %-	
<i>acetazolamide sodium</i>	137	<i>ala-cort</i>	98	ELECTROLYTES.....	70
<i>acetic acid</i>	104, 132	<i>albendazole</i>	51	AMINOSYN II 10 %.....	70
<i>acetic acid-aluminum acetate</i> ..	104	<i>albuterol sulfate</i>	141, 142	AMINOSYN II 15 %.....	70
<i>acetylcysteine</i>	144	<i>alclometasone</i>	98	AMINOSYN II 7 %.....	71
<i>acitretin</i>	97	ALCOHOL PADS.....	97	AMINOSYN II 8.5 %.....	71
ACTEMRA.....	120, 121	ALDURAZYME.....	102	AMINOSYN II 8.5 %-	
ACTEMRA ACTPEN.....	120	ALECENSA.....	17	ELECTROLYTES.....	71
ACTHIB (PF).....	127	<i>alendronate</i>	132	AMINOSYN M 3.5 %.....	71
ACTIMMUNE.....	134	<i>alfuzosin</i>	112	AMINOSYN-HBC 7%.....	71
<i>acyclovir</i>	65, 97	ALIMTA.....	18	AMINOSYN-PF 10 %.....	71
<i>acyclovir sodium</i>	65	ALINIA.....	51	AMINOSYN-PF 7 %	
ADACEL(TDAP		ALIQOPA.....	18	(SULFITE-FREE).....	71
ADOLESN/ADULT)(PF)....	127	<i>aliskiren</i>	83	AMINOSYN-RF 5.2 %.....	71
ADAGEN.....	101	<i>allopurinol</i>	46	<i>amiodarone</i>	76
ADAKVEO.....	69	<i>alosetron</i>	131	AMITIZA.....	108
<i>adapalene</i>	100	ALPHAGAN P.....	137	<i>amitriptyline</i>	37
ADCETRIS.....	17	<i>alprazolam</i>	9	<i>amlodipine</i>	80
<i>adefovir</i>	65	ALREX.....	106	<i>amlodipine-benazepril</i>	80
ADEMPAS.....	146	<i>altavera (28)</i>	89	<i>amlodipine-valsartan</i>	80
<i>adriamycin</i>	17	ALTRENO.....	100	<i>ammonium lactate</i>	97
<i>adrucil</i>	17	ALUNBRIG.....	18	<i>amoxapine</i>	37
ADVAIR DISKUS.....	140	<i>alyacen 1/35 (28)</i>	89	<i>amoxicillin</i>	14
ADVAIR HFA.....	140	<i>alyacen 7/7/7 (28)</i>	89	<i>amoxicillin-pot clavulanate</i> ..	14, 15
<i>afeditab cr</i>	80	<i>alyq</i>	146	<i>amphotericin b</i>	45
AFINITOR.....	17	<i>amabelz</i>	113	<i>ampicillin</i>	15

<i>ampicillin sodium</i>	15	<i>aurovela 24 fe</i>	89	<i>benazepril</i>	75
<i>ampicillin-sulbactam</i>	15	<i>aurovela fe 1.5/30 (28)</i>	90	BENDEKA	18
ANADROL-50	113	<i>aurovela fe 1-20 (28)</i>	90	BENLYSTA	134
<i>anagrelide</i>	69	AUSTEDO	84	<i>benztropine</i>	52
<i>anastrozole</i>	18	AVASTIN	18	BESPONSA	18
ANORO ELLIPTA	142	<i>aviane</i>	90	<i>betamethasone acet,sod phos.</i> ..	115
APOKYN	52	AVONEX	85	<i>betamethasone dipropionate</i>	98
<i>apraclonidine</i>	103	AVONEX (WITH		<i>betamethasone valerate</i>	99
<i>aprepitant</i>	50	ALBUMIN)	85	<i>betamethasone, augmented</i>	99
<i>apri</i>	89	AVSOLA	121	BETASERON	85
APTIOM	31	<i>ayuna</i>	90	<i>betaxolol</i>	77
APTIVUS	59	AYVAKIT	18	<i>bethanechol chloride</i>	111
APTIVUS (WITH VITAMIN		<i>azacitidine</i>	18	BETHKIS	10
E)	59	<i>azathioprine</i>	121	BEVYXXA	66
<i>aranelle (28)</i>	89	<i>azathioprine sodium</i>	121	<i>bexarotene</i>	18
ARCALYST	121	<i>azelastine</i>	103, 104	BEXSERO	127
<i>aripiprazole</i>	54	<i>azithromycin</i>	13	<i>bicalutamide</i>	18
ARISTADA	54, 55	AZOPT	137	BICILLIN L-A	15
ARISTADA INITIO	54	<i>aztreonam</i>	14	BIDIL	84
<i>armodafinil</i>	145	<i>azurette (28)</i>	90	BIKTARVY	59
ARNUITY ELLIPTA	140	<i>baciim</i>	10	<i>bisoprolol fumarate</i>	77
<i>arsenic trioxide</i>	18	<i>bacitracin</i>	104	<i>bisoprolol-hydrochlorothiazide</i> ..	77
<i>ashlyna</i>	89	<i>bacitracin-polymyxin b</i>	104	BLENREP	19
<i>aspirin-dipyridamole</i>	70	<i>baclofen</i>	145	<i>bleomycin</i>	19
ASSURE ID INSULIN		<i>balsalazide</i>	131	<i>bleph-10</i>	104
SAFETY	101	BALVERSA	18	BLINCYTO	19
<i>atazanavir</i>	59	<i>balziva (28)</i>	90	<i>blisovi 24 fe</i>	90
<i>atenolol</i>	77	BANZEL	31	<i>blisovi fe 1.5/30 (28)</i>	90
<i>atenolol-chlorthalidone</i>	77	BAVENCIO	18	<i>blisovi fe 1/20 (28)</i>	90
<i>atomoxetine</i>	84	BAXDELA	15	BOOSTRIX TDAP	127
<i>atorvastatin</i>	82	BCG VACCINE, LIVE (PF)	127	BORTEZOMIB	19
<i>atovaquone</i>	51	BD ULTRA-FINE NANO		<i>bosentan</i>	146
<i>atovaquone-proguanil</i>	51	PEN NEEDLE	101	BOSULIF	19
ATRIPLA	59	BD VEO INSULIN SYR		BRAFTOVI	19
<i>atropine</i>	31, 103	HALF UNIT	101	BREO ELLIPTA	140
ATROVENT HFA	142	BD VEO INSULIN		BREZTRI AEROSPHERE ..	142
AUBAGIO	84	SYRINGE UF	101	<i>briellyn</i>	90
<i>aubra</i>	89	<i>bekyree (28)</i>	90	BRILINTA	70
<i>aurovela 1.5/30 (21)</i>	89	BELEODAQ	18	<i>brimonidine</i>	137
<i>aurovela 1/20 (21)</i>	89	BELSOMRA	145	BRIVIACT	31, 32

<i>bromocriptine</i>	52	<i>caspofungin</i>	45	<i>ciclopirox</i>	45
BROMSITE	106	CAYSTON	14	<i>cilostazol</i>	70
BRUKINSA	19	<i>caziant (28)</i>	90	CIMDUO	59
<i>budesonide</i>	131, 140	<i>cefaclor</i>	12	<i>cimetidine hcl</i>	108
<i>bumetanide</i>	81	<i>cefadroxil</i>	12	CIMZIA	121
<i>buprenorphine hcl</i>	3, 8	<i>cefazolin</i>	12	CIMZIA POWDER FOR	
<i>buprenorphine-naloxone</i>	8	<i>cefdinir</i>	12	RECONST	121
<i>bupropion hcl</i>	37	<i>cefditoren pivoxil</i>	12	<i>cinacalcet</i>	133
<i>bupropion hcl (smoking deter)</i> ...	8	<i>cefepime</i>	12	CINQAIR	144
<i>bupirone</i>	9	<i>cefixime</i>	12	CINRYZE	67
<i>butalbital-acetaminophen-caff</i>	3	<i>cefotaxime</i>	12	CINVANTI	50
<i>butalbital-aspirin-caffeine</i>	3	<i>cefoxitin</i>	12	CIPRODEX	104
BYNFEZIA	116	<i>cefpodoxime</i>	12	<i>ciprofloxacin</i>	16
BYSTOLIC	77	<i>cefprozil</i>	12	<i>ciprofloxacin hcl</i>	15, 16, 104
BYVALSON	77	<i>ceftazidime</i>	13	<i>ciprofloxacin in 5 % dextrose</i> ...	16
<i>cabergoline</i>	52	<i>ceftriaxone</i>	13	<i>ciprofloxacin-dexamethasone</i> .	105
CABLIVI	134	<i>cefuroxime axetil</i>	13	<i>cialopram</i>	37
CABOMETYX	19	<i>cefuroxime sodium</i>	13	<i>clarithromycin</i>	13
<i>caffeine citrate</i>	85	<i>celecoxib</i>	6	CLENPIQ	110
<i>calcipotriene</i>	97	CELONTIN	32	<i>clindamycin hcl</i>	10
<i>calcitonin (salmon)</i>	132	<i>cephalexin</i>	13	<i>clindamycin in 5 % dextrose</i>	11
<i>calcitriol</i>	132, 133	CERDELGA	102	<i>clindamycin phosphate</i> ..	11, 47, 98
<i>calcium acetate (phosphat</i>		CEREZYME	102	CLINIMIX 5%/D15W	
<i>bind)</i>	111	CETYLEV	134	SULFITE FREE	71
<i>calcium chloride</i>	138	CHANTIX	8	CLINIMIX 5%/D25W	
CALDOLOR	6	CHANTIX CONTINUING		SULFITE-FREE	71
CALQUENCE	19	MONTH BOX	8	CLINIMIX 4.25%/D10W	
<i>camila</i>	90	CHANTIX STARTING		SULF FREE	71
CAPASTAT	49	MONTH BOX	8	CLINIMIX 4.25%/D5W	
CAPLYTA	55	<i>chloramphenicol sod succinate</i> ..	10	SULFIT FREE	72
CAPRELSA	19	<i>chlordiazepoxide hcl</i>	9	CLINIMIX 4.25%-D25W	
<i>captopril</i>	75	<i>chlorthexidine gluconate</i>	96	SULF-FREE	72
CARBAGLU	109	<i>chloroquine phosphate</i>	51	CLINIMIX 5%-	
<i>carbamazepine</i>	32	<i>chlorothiazide</i>	81	D20W(SULFITE-FREE)	72
<i>carbidopa-levodopa</i>	52	<i>chlorothiazide sodium</i>	81	CLINIMIX E 2.75%/D10W	
<i>carbidopa-levodopa-</i>		<i>chlorpromazine</i>	55	SUL FREE	72
<i>entacapone</i>	52, 53	<i>chlorthalidone</i>	81	CLINIMIX E 2.75%/D5W	
<i>carteolol</i>	137	<i>chlorzoxazone</i>	145	SULF FREE	72
<i>cartia xt</i>	78	<i>cholestyramine (with sugar)</i>	82	CLINIMIX E 4.25%/D10W	
<i>carvedilol</i>	77	<i>cholestyramine light</i>	82	SUL FREE	72

CLINIMIX E 4.25%/D25W	COPIKTRA.....	19	<i>decadron</i>	115
SUL FREE.....	CORLANOR.....	72	<i>decitabine</i>	20
CLINIMIX E 4.25%/D5W	<i>cormax</i>	99	<i>deferasirox</i>	112
SULF FREE.....	<i>cortisone</i>	115	<i>deferiprone</i>	112
CLINIMIX E 5%/D15W	COSENTYX (2 SYRINGES)		<i>deferoxamine</i>	112
SULFIT FREE.....	121	DELSTRIGO.....	60
CLINIMIX E 5%/D20W	COSENTYX PEN (2 PENS)	121	<i>delyla (28)</i>	90
SULFIT FREE.....	COTELLIC.....	19	DEMSEER.....	79
CLINIMIX E 5%/D25W	CREON.....	102	DEPO-PROVERA.....	120
SULFIT FREE.....	CRIXIVAN.....	60	DESCOVY.....	60
CLINOLIPID.....	<i>cromolyn</i>	104, 109, 144	<i>desipramine</i>	37
<i>clobazam</i>	<i>cryselle (28)</i>	90	<i>desmopressin</i>	116
<i>clobetasol</i>	<i>cyclafem 1/35 (28)</i>	90	<i>desog-e.estradiolle.estradiol</i>	90
<i>clobetasol-emollient</i>	<i>cyclafem 7/7/7 (28)</i>	90	<i>desogestrel-ethinyl estradiol</i>	91
<i>clocortolone pivalate</i>	<i>cyclobenzaprine</i>	145	<i>desoximetasone</i>	99
<i>clofarabine</i>	<i>cyclopentolate</i>	104	<i>desvenlafaxine succinate</i>	37
<i>clomipramine</i>	<i>cyclophosphamide</i>	20	<i>dexamethasone</i>	115
<i>clonazepam</i>	CYCLOPHOSPHAMIDE.....	20	<i>dexamethasone sodium phos</i>	
<i>clonidine</i>	<i>cyclosporine</i>	121	<i>(pf)</i>	115
<i>clonidine hcl</i>	<i>cyclosporine modified</i>	121	<i>dexamethasone sodium</i>	
<i>clopidogrel</i>	<i>cyproheptadine</i>	46	<i>phosphate</i>	106, 115
<i>clorazepate dipotassium</i>	CYRAMZA.....	20	<i>dexmethylphenidate</i>	85
<i>clotrimazole</i>	<i>cyred</i>	90	<i>dextroamphetamine</i>	85
<i>clotrimazole-betamethasone</i>	CYSTARANE.....	134	<i>dextroamphetamine-</i>	
<i>clovique</i>	CYSTARAN.....	104	<i>amphetamine</i>	85
<i>clozapine</i>	<i>dalfampridine</i>	85	<i>dextrose 10 % in water (d10w)</i>	73
COARTEM.....	DALIRESP.....	144	<i>dextrose 25 % in water (d25w)</i>	73
<i>codeine sulfate</i>	<i>danazol</i>	113	<i>dextrose 30 % in water (d30w)</i>	73
<i>colchicine</i>	<i>dantrolene</i>	145	<i>dextrose 40 % in water (d40w)</i>	73
<i>colesevelam</i>	<i>dapsone</i>	49	<i>dextrose 5 % in water (d5w)</i>	73
<i>colestipol</i>	DAPTACEL (DTAP		<i>dextrose 50 % in water (d50w)</i>	73
<i>colistin (colistimethate na)</i>	PEDIATRIC) (PF).....	127	<i>dextrose 70 % in water (d70w)</i>	73
<i>colocort</i>	<i>daptomycin</i>	11	DIASTAT.....	32
COMBIGAN.....	DARZALEX.....	20	DIASTAT ACUDIAL.....	32
COMBIVENT RESPIMAT.....	DARZALEX FASPRO.....	20	<i>diazepam</i>	9, 32
COMETRIQ.....	<i>dasetta 1/35 (28)</i>	90	<i>diazepam intensol</i>	9
COMPLERA.....	<i>dasetta 7/7/7 (28)</i>	90	<i>diazoxide</i>	134
<i>compro</i>	DAURISMO.....	20	<i>diclofenac epolamine</i>	6
<i>constulose</i>	<i>daysee</i>	90	<i>diclofenac potassium</i>	6
COPAXONE.....	<i>deblitane</i>	90	<i>diclofenac sodium</i>	6, 107

<i>dicloxacillin</i>	15	<i>drospirenone-ethinyl estradiol</i> ...91	EMTRIVA.....	60
<i>dicyclomine</i>	109	DROXIA.....	<i>enalapril maleate</i>	75
<i>didanosine</i>	60	DUAVEE.....	<i>enalaprilat</i>	75
DIFICID.....	13	<i>duloxetine</i>	<i>enalapril-hydrochlorothiazide</i> ... 75	
<i>digitek</i>	79	DUPIXENT PEN.....	ENBREL.....	122
<i>digox</i>	79	DUPIXENT SYRINGE.....	ENBREL MINI.....	121
<i>digoxin</i>	79	DUREZOL.....	ENBREL SURECLICK.....	122
DIGOXIN.....	79	<i>dutasteride</i>	ENDARI.....	134
<i>dihydroergotamine</i>	47	<i>econazole</i>	<i>endocet</i>	3
<i>diltiazem hcl</i>	78	EDARBI.....	ENGERIX-B (PF).....	128
<i>dilt-xr</i>	78	EDARBYCLOR.....	ENGERIX-B PEDIATRIC	
<i>dimenhydrinate</i>	50	EDURANT.....	(PF).....	128
<i>dimethyl fumarate</i>	85, 86	<i>efavirenz</i>	ENHERTU.....	21
DIPENTUM.....	131	<i>efavirenz-emtricitabin-tenofov</i> .. 60	<i>enoxaparin</i>	66
<i>diphenhydramine hcl</i>	46	<i>efavirenz-lamivu-tenofov disop</i> . 60	<i>enpresse</i>	91
<i>diphenoxylate-atropine</i>	109	EGRIFTA.....	<i>enskyce</i>	91
<i>dipyridamole</i>	70	EGRIFTA SV.....	<i>entacapone</i>	53
<i>disopyramide phosphate</i>	76	ELAPRASE.....	<i>entecavir</i>	65
<i>disulfiram</i>	8	ELIGARD.....	ENTRESTO.....	75
<i>divalproex</i>	32	ELIGARD (3 MONTH).....	<i>enulose</i>	109
<i>dofetilide</i>	76	ELIGARD (4 MONTH).....	EPCLUSA.....	64
<i>donepezil</i>	36	ELIGARD (6 MONTH).....	EPIDIOLEX.....	32
DOPTELET (10 TAB PACK) 67		<i>elinest</i>	<i>epinastine</i>	104
DOPTELET (15 TAB PACK) 67		ELIQUIS.....	<i>epinephrine</i>	79, 80
DOPTELET (30 TAB PACK) 67		ELIQUIS DVT-PE TREAT	<i>epitol</i>	32
<i>dorzolamide</i>	137	30D START.....	EPIVIR HBV.....	60
<i>dorzolamide-timolol</i>	137	ELITEK.....	<i>eplerenone</i>	83
<i>dotti</i>	113	ELLA.....	EPOGEN.....	67
DOVATO.....	60	ELMIRON.....	<i>epoprostenol (glycine)</i>	146
<i>doxazosin</i>	74	<i>eluryng</i>	<i>ergoloid</i>	134
<i>doxepin</i>	37	EMCYT.....	ERGOMAR.....	48
<i>doxercalciferol</i>	133	EMEND.....	ERIVEDGE.....	21
<i>doxorubicin</i>	20	EMFLAZA.....	ERLEADA.....	21
<i>doxorubicin, peg-liposomal</i>	20	EMGALITY PEN.....	<i>erlotinib</i>	21
<i>doxy-100</i>	16	EMGALITY SYRINGE.....	<i>errin</i>	91
<i>doxycycline hyclate</i>	16	<i>emoquette</i>	<i>ertapenem</i>	14
<i>doxycycline monohydrate</i> ... 16, 17		EMPLICITI.....	<i>ery pads</i>	98
DRIZALMA SPRINKLE.....	37	EMSAM.....	<i>erythromycin</i>	14, 105
<i>dronabinol</i>	50	<i>emtricitabine</i>	<i>erythromycin ethylsuccinate</i> 13, 14	
<i>droperidol</i>	134	<i>emtricitabine-tenofovir (tdf)</i> 60	<i>erythromycin with ethanol</i>	98

ESBRIET.....	144	<i>fenofibrate</i>	82	<i>fomepizole</i>	135
<i>escitalopram oxalate</i>	38	<i>fenofibrate micronized</i>	82	<i>fondaparinux</i>	66
<i>esomeprazole sodium</i>	108	<i>fenofibrate nanocrystallized</i>	82	FORTEO.....	133
<i>estarylla</i>	91	<i>fentanyl</i>	3	<i>fosamprenavir</i>	60
<i>estradiol</i>	114	<i>fentanyl citrate</i>	3	<i>fosaprepitant</i>	50
<i>estradiol valerate</i>	114	FERRIPROX.....	112	<i>foscarnet</i>	63
<i>estradiol-norethindrone acet</i> ...	114	FETZIMA.....	38	<i>fosinopril</i>	76
<i>eszopiclone</i>	146	FIASP FLEXTOUCH U-100		<i>fosphenytoin</i>	33
<i>ethambutol</i>	49	INSULIN.....	41	FREAMINE HBC 6.9 %.....	73
<i>ethosuximide</i>	32, 33	FIASP PENFILL U-100		FREAMINE III 10 %.....	73
<i>ethynodiol diac-eth estradiol</i>	91	INSULIN.....	42	FULPHILA.....	68
<i>etodolac</i>	6	FIASP U-100 INSULIN.....	42	<i>fulvestrant</i>	21
<i>etonogestrel-ethinyl estradiol</i>	91	<i>finasteride</i>	112	<i>furosemide</i>	81
ETOPOPHOS.....	21	FINTEPLA.....	33	FUZEON.....	60
<i>etoposide</i>	21	FIRVANQ.....	11	<i>fyavolv</i>	114
EUCRISA.....	99	FLEBOGAMMA DIF.....	122	FYCOMPA.....	33
EVENITY.....	133	<i>flecainide</i>	76	<i>gabapentin</i>	33
<i>everolimus (antineoplastic)</i>	21	FLOVENT DISKUS.....	140	GALAFOLD.....	102
<i>everolimus</i>		FLOVENT HFA.....	140, 141	<i>galantamine</i>	36
<i>(immunosuppressive)</i>	122	<i>floxuridine</i>	21	GAMASTAN.....	122
EVOTAZ.....	60	<i>fluconazole</i>	45	GAMMAGARD LIQUID...	122
EVRYSDI.....	135	<i>fluconazole in nacl (iso-osm)</i> ...	45	GAMMAGARD S-D (IGA <	
<i>exemestane</i>	21	<i>flucytosine</i>	45	1 MCG/ML).....	122
EXONDYS-51.....	135	<i>fludrocortisone</i>	115	GAMMAPLEX.....	122
EXTAVIA.....	86	<i>flumazenil</i>	86	GAMMAPLEX (WITH	
<i>ezetimibe</i>	82	<i>flunisolide</i>	107	SORBITOL).....	122
FABRAZYME.....	102	<i>fluocinolone</i>	99	<i>ganciclovir sodium</i>	66
<i>falmina (28)</i>	91	<i>fluocinonide</i>	99	GARDASIL 9 (PF).....	128
<i>famciclovir</i>	66	<i>fluocinonide-e</i>	99	GATTEX 30-VIAL.....	109
<i>famotidine</i>	108	<i>fluorometholone</i>	107	GAUZE PAD.....	101
<i>famotidine (pf)</i>	108	<i>fluorouracil</i>	21, 97	<i>gavilyte-c</i>	110
<i>famotidine (pf)-nacl (iso-os)</i>	108	<i>fluoxetine</i>	38	<i>gavilyte-g</i>	110
FANAPT.....	55	<i>fluphenazine decanoate</i>	55	<i>gavilyte-n</i>	110
FARYDAK.....	21	<i>fluphenazine hcl</i>	55, 56	GAVRETO.....	21
FASENRA.....	144	<i>flurbiprofen</i>	6	GAZYVA.....	21
FASENRA PEN.....	144	<i>flurbiprofen sodium</i>	107	<i>gemfibrozil</i>	82
<i>febuxostat</i>	46	<i>flutamide</i>	21	<i>generlac</i>	109
<i>felbamate</i>	33	<i>fluticasone propionate</i>	99, 107	<i>gengraf</i>	122
FEMRING.....	114	<i>fluticasone propion-salmeterol</i>	141	GENOTROPIN.....	117
<i>femynor</i>	91	<i>fluvoxamine</i>	38		

GENOTROPIN			
MINIQUICK	117		
<i>gentak</i>	105		
<i>gentamicin</i>	10, 98, 105		
<i>gentamicin sulfate (ped) (pf)</i>	10		
<i>gentamicin sulfate (pf)</i>	10		
GENVOYA	60		
GILENYA	86		
GILOTRIF	21		
GIVLAARI	69		
<i>glatiramer</i>	86		
<i>glatopa</i>	86		
GLEOSTINE	21		
<i>glimepiride</i>	44		
<i>glipizide</i>	44		
<i>glipizide-metformin</i>	44		
GLUCAGEN HYPOKIT	135		
<i>glyburide</i>	44		
<i>glyburide micronized</i>	44		
<i>glyburide-metformin</i>	44		
<i>glycopyrrolate</i>	109		
<i>glydo</i>	7		
GLYXAMBI	39		
GOCOVRI	53		
<i>granisetron (pf)</i>	50		
<i>granisetron hcl</i>	50		
GRANIX	68		
<i>griseofulvin microsize</i>	45		
<i>guanfacine</i>	74, 86		
<i>guanidine</i>	135		
GVOKE HYPOPEN 1-PACK	135		
GVOKE HYPOPEN 2-PACK	135		
GVOKE PFS 1-PACK SYRINGE	135		
GVOKE PFS 2-PACK SYRINGE	135		
HAEGARDA	68		
<i>hailey</i>	91		
<i>hailey 24 fe</i>	91		
<i>hailey fe 1.5/30 (28)</i>	91		
<i>hailey fe 1/20 (28)</i>	91		
<i>halobetasol propionate</i>	99		
<i>haloperidol</i>	56		
<i>haloperidol decanoate</i>	56		
<i>haloperidol lactate</i>	56		
HARVONI	64		
HAVRIX (PF)	128		
<i>heather</i>	91		
<i>heparin (porcine)</i>	66, 67		
<i>heparin, porcine (pf)</i>	67		
HEPATAMINE 8%	73		
HERCEPTIN	22		
HERCEPTIN HYLECTA	21		
HERZUMA	22		
HETLIOZ	146		
HIBERIX (PF)	128		
HUMATROPE	117		
HUMIRA	123		
HUMIRA PEDIATRIC CROHNS START	122		
HUMIRA PEN	123		
HUMIRA PEN CROHNS-UC-HS START	123		
HUMIRA PEN PSOR-UVEITS-ADOL HS	123		
HUMIRA(CF)	123		
HUMIRA(CF) PEDI CROHNS STARTER	123		
HUMIRA(CF) PEN	123		
HUMIRA(CF) PEN CROHNS-UC-HS	123		
HUMIRA(CF) PEN PSOR-UV-ADOL HS	123		
HUMULIN R U-500 (CONC) INSULIN	42		
HUMULIN R U-500 (CONC) KWIKPEN	42		
<i>hydralazine</i>	80		
<i>hydrochlorothiazide</i>	81		
<i>hydrocodone-acetaminophen</i>	3		
<i>hydrocodone-ibuprofen</i>	4		
<i>hydrocortisone</i>	99, 100, 115, 132		
<i>hydromorphone</i>	4		
<i>hydromorphone (pf)</i>	4		
<i>hydroxychloroquine</i>	52		
<i>hydroxyprogesterone cap(ppres)</i>	120		
<i>hydroxyurea</i>	22		
<i>hydroxyzine hcl</i>	46, 47		
<i>hydroxyzine pamoate</i>	135		
HYPERRAB (PF)	123		
HYPERRAB S/D (PF)	123		
HYQVIA	124		
<i>ibandronate</i>	133		
IBRANCE	22		
<i>ibu</i>	6		
<i>ibuprofen</i>	6		
<i>icatibant</i>	80		
ICLUSIG	22		
IDHIFA	22		
<i>ifosfamide</i>	22		
<i>ifosfamide-mesna</i>	22		
ILARIS (PF)	124		
ILEVRO	107		
ILUMYA	124		
<i>imatinib</i>	22		
IMBRUVICA	22		
IMFINZI	22		
<i>imipenem-cilastatin</i>	14		
<i>imipramine hcl</i>	38		
<i>imiquimod</i>	97		
IMLYGIC	22		
IMOGAM RABIES-HT (PF)	124		
IMOVAX RABIES VACCINE (PF)	128		
IMPAVIDO	52		
INBRIJA	53		

<i>incassia</i>	91	ISOLYTE-S.....	138	<i>kelnor 1-50</i>	92
INCRELEX.....	117	<i>isoniazid</i>	49	KESIMPTA PEN.....	86
INCRUSE ELLIPTA.....	142	<i>isosorbide dinitrate</i>	84	<i>ketoconazole</i>	45
<i>indapamide</i>	81	<i>isosorbide mononitrate</i>	84	<i>ketorolac</i>	6, 107
<i>indomethacin</i>	6	<i>itraconazole</i>	45	KEVEYIS.....	135
INFANRIX (DTAP) (PF)....	128	<i>ivermectin</i>	52	KEVZARA.....	124
INFLECTRA.....	124	IXEMPRA.....	23	KEYTRUDA.....	23
INGREZZA.....	86	IXIARO (PF).....	128	KINERET.....	124
INGREZZA INITIATION		JADENU SPRINKLE.....	112	KINRIX (PF).....	129
PACK.....	86	<i>jaimiess</i>	91	<i>kionex (with sorbitol)</i>	109
INLYTA.....	23	JAKAFI.....	23	KISQALI.....	23
INQOVI.....	23	<i>jantoven</i>	67	KISQALI FEMARA CO-	
INREBIC.....	23	JANUMET.....	40	PACK.....	23
<i>insulin asp prt-insulin aspart</i>	42	JANUMET XR.....	40	<i>klor-con m10</i>	138
<i>insulin aspart u-100</i>	42	JANUVIA.....	40	<i>klor-con m15</i>	138
INSULIN SYRINGE-		JARDIANCE.....	40	<i>klor-con m20</i>	138
NEEDLE U-100.....	101	<i>jasmiel (28)</i>	92	<i>klor-con sprinkle</i>	138
INTELENCE.....	60, 61	<i>jencycla</i>	92	KORLYM.....	40
INTRALIPID.....	73	JENTADUETO.....	40	KOSELUGO.....	23
INTRON A.....	65	JENTADUETO XR.....	40	KRINTAFEL.....	52
<i>introvale</i>	91	<i>jinteli</i>	114	KRYSTEXXA.....	102
INVEGA SUSTENNA.....	56	<i>jolivette</i>	92	K-SOL.....	138
INVEGA TRINZA.....	56, 57	<i>juleber</i>	92	<i>kurvelo (28)</i>	92
INVELTYS.....	107	JULUCA.....	61	KUVAN.....	102
INVIRASE.....	61	<i>junel 1.5/30 (21)</i>	92	KYNMOBI.....	53
INVOKAMET.....	39, 40	<i>junel 1/20 (21)</i>	92	KYPROLIS.....	23
INVOKAMET XR.....	40	<i>junel fe 1.5/30 (28)</i>	92	<i>l norgestle.estradiol-e.estradiol</i>	92
INVOKANA.....	40	<i>junel fe 1/20 (28)</i>	92	<i>labetalol</i>	77
IONOSOL-B IN D5W.....	138	<i>junel fe 24</i>	92	LACTATED RINGERS.....	132
IONOSOL-MB IN D5W.....	138	JUXTAPID.....	82	<i>lactulose</i>	109
IPOL.....	128	JYNARQUE.....	81	<i>lamivudine</i>	61
<i>ipratropium bromide</i>	104, 142	KABIVEN.....	73	<i>lamivudine-zidovudine</i>	61
<i>irbesartan</i>	75	KALETRA.....	61	<i>lamotrigine</i>	33
<i>irbesartan-hydrochlorothiazide</i> ..	75	<i>kalliga</i>	92	<i>lansoprazole</i>	108
IRESSA.....	23	KALYDECO.....	144	LANTUS SOLOSTAR U-100	
ISENTRESS.....	61	KANJINTI.....	23	INSULIN.....	42
ISENTRESS HD.....	61	KANUMA.....	102	LANTUS U-100 INSULIN....	42
<i>isibloom</i>	91	<i>kariva (28)</i>	92	<i>lapatinib</i>	23
ISOLYTE-P IN 5 %		KEDRAB (PF).....	124	<i>larin 1.5/30 (21)</i>	92
DEXTROSE.....	138	<i>kelnor 1/35 (28)</i>	92	<i>larin 1/20 (21)</i>	92

<i>larin 24 fe</i>	92	<i>lidocaine-prilocaine</i>	7	LUPRON DEPOT (3	
<i>larin fe 1.5/30 (28)</i>	92	<i>lillow (28)</i>	93	MONTH).....	24, 117
<i>larin fe 1/20 (28)</i>	92	<i>linezolid</i>	11	LUPRON DEPOT (4	
<i>larissia</i>	93	<i>linezolid in dextrose 5%</i>	11	MONTH).....	24
<i>latanoprost</i>	137	<i>linezolid-0.9% sodium chloride</i>	11	LUPRON DEPOT (6	
LATUDA.....	57	LINZESS.....	109	MONTH).....	24
LAZANDA.....	4	<i>liothyronine</i>	120	LUPRON DEPOT-PED.....	117
<i>ledipasvir-sofosbuvir</i>	64	<i>lisinopril</i>	76	LUPRON DEPOT-PED (3	
<i>leena 28</i>	93	<i>lisinopril-hydrochlorothiazide</i> ...	76	MONTH).....	117
<i>leflunomide</i>	124	<i>lithium carbonate</i>	86	<i>lutera (28)</i>	93
LEMTRADA.....	86	<i>lithium citrate</i>	86	LYNPARZA.....	24
LENVIMA.....	24	LIVALO.....	82	LYSODREN.....	24
<i>lessina</i>	93	<i>lojaimiess</i>	93	<i>lyza</i>	93
<i>letrozole</i>	24	LOKELMA.....	109	<i>magnesium sulfate</i>	139
<i>leucovorin calcium</i>	135	LONHALA MAGNAIR		<i>magnesium sulfate in d5w</i>	138
LEUKERAN.....	24	REFILL.....	142	<i>magnesium sulfate in water</i>	138
LEUKINE.....	68	LONHALA MAGNAIR		<i>malathion</i>	101
<i>leuprolide</i>	24	STARTER.....	142	<i>maprotiline</i>	38
<i>levetiracetam</i>	33	LONSURF.....	24	<i>marlissa (28)</i>	93
<i>levobunolol</i>	137	<i>loperamide</i>	109	MARPLAN.....	38
<i>levocarnitine</i>	135	<i>lopinavir-ritonavir</i>	61	MATULANE.....	25
<i>levocarnitine (with sugar)</i>	135	<i>lorazepam</i>	9, 10	MAVENCLAD (10 TABLET	
<i>levocetirizine</i>	47	LORBRENA.....	24	PACK).....	86
<i>levofloxacin</i>	16, 105	<i>lorcet (hydrocodone)</i>	4	MAVENCLAD (4 TABLET	
<i>levofloxacin in d5w</i>	16	<i>lorcet hd</i>	4	PACK).....	87
LEVOLEUCOVORIN		<i>lorcet plus</i>	4	MAVENCLAD (5 TABLET	
CALCIUM.....	136	<i>loryna (28)</i>	93	PACK).....	87
<i>levoleucovorin calcium</i>	136	<i>losartan</i>	75	MAVENCLAD (6 TABLET	
<i>levonest (28)</i>	93	<i>losartan-hydrochlorothiazide</i>	75	PACK).....	87
<i>levonorgestrel-ethinyl estrad</i>	93	LOTEMAX.....	107	MAVENCLAD (7 TABLET	
<i>levonorg-eth estrad triphasic</i>	93	LOTEMAX SM.....	107	PACK).....	87
<i>levora-28</i>	93	<i>lovastatin</i>	82	MAVENCLAD (8 TABLET	
<i>levothyroxine</i>	120	<i>low-ogestrel (28)</i>	93	PACK).....	87
LEXIVA.....	61	<i>loxapine succinate</i>	57	MAVENCLAD (9 TABLET	
LIALDA.....	132	<i>lo-zumandimine (28)</i>	93	PACK).....	87
LIBTAYO.....	24	LUCEMYRA.....	8	MAVYRET.....	64
<i>lidocaine</i>	7	LUMIGAN.....	137	MAYZENT.....	87
<i>lidocaine (pf)</i>	7, 76	LUMOXITI.....	24	<i>meclizine</i>	50
<i>lidocaine hcl</i>	7	LUPRON DEPOT.....	24, 117	<i>medroxyprogesterone</i>	120
<i>lidocaine viscous</i>	7			<i>mefenamic acid</i>	6

<i>mefloquine</i>	52	<i>metoprolol tartrate</i>	77, 78	MYLOTARG.....	25
<i>megestrol</i>	25, 120	<i>metronidazole</i>	11, 47, 98	MYRBETRIQ.....	111
MEKINIST.....	25	<i>metronidazole in nacl (iso-os)</i> ..	11	<i>myzilra</i>	93
MEKTOVI.....	25	<i>metyrosine</i>	80	<i>nabumetone</i>	6
<i>meloxicam</i>	6	<i>mexiletine</i>	76	<i>nafcillin</i>	15
<i>memantine</i>	36	MIACALCIN.....	133	<i>nafcillin in dextrose iso-osm</i>	15
MENACTRA (PF).....	129	<i>miconazole-3</i>	45	NAGLAZYME.....	102
MENQUADFI (PF).....	129	<i>microgestin fe 1/20 (28)</i>	93	<i>naloxone</i>	8
MENVEO A-C-Y-W-135- DIP (PF).....	129	<i>midodrine</i>	74	<i>naltrexone</i>	8
MEPSEVII.....	102	<i>miglustat</i>	102	NAMZARIC.....	36
<i>mercaptopurine</i>	25	<i>mili</i>	93	<i>naproxen</i>	7
<i>meropenem</i>	14	<i>mimvey</i>	114	NARCAN.....	8
<i>meropenem-0.9% sodium chloride</i>	14	<i>mimvey lo</i>	114	NATACYN.....	105
<i>mesalamine</i>	132	<i>minitran</i>	84	NATPARA.....	133
<i>mesna</i>	136	<i>minocycline</i>	17	NAYZILAM.....	33
MESNEX.....	136	<i>minoxidil</i>	84	<i>necon 0.5/35 (28)</i>	94
MESTINON.....	136	<i>mirtazapine</i>	38	<i>nefazodone</i>	38
<i>metaproterenol</i>	142	<i>misoprostol</i>	108	<i>neomycin</i>	10
<i>metformin</i>	40	MITIGARE.....	46	<i>neomycin-bacitracin-poly-hc</i> ...	105
<i>methadone</i>	4	<i>mitoxantrone</i>	25	<i>neomycin-bacitracin- polymyxin</i>	105
<i>methadose</i>	4	M-M-R II (PF).....	129	<i>neomycin-polymyxin b gu</i>	98
<i>methenamine hippurate</i>	11	<i>molindone</i>	57	<i>neomycin-polymyxin b- dexameth</i>	105
<i>methimazole</i>	120	<i>mometasone</i>	100, 107	<i>neomycin-polymyxin- gramicidin</i>	105
<i>methocarbamol</i>	145	<i>mondoxyne nl</i>	17	<i>neomycin-polymyxin-hc</i>	105
<i>methotrexate sodium</i>	25	MONJUVI.....	25	<i>neo-polycin</i>	106
<i>methotrexate sodium (pf)</i>	25	<i>mono-linyah</i>	93	<i>neo-polycin hc</i>	106
<i>methoxsalen</i>	97	<i>mononessa (28)</i>	93	NEPHRAMINE 5.4 %.....	73
<i>methscopolamine</i>	109	<i>montelukast</i>	141	NERLYNX.....	25
<i>methyclothiazide</i>	81	MORPHINE.....	4	NEULASTA.....	68
<i>methylphenidate hcl</i>	87	<i>morphine</i>	4	NEUPOGEN.....	68
<i>methylprednisolone</i>	115	<i>morphine concentrate</i>	4	NEUPRO.....	53
<i>methylprednisolone acetate</i>	115	MOVANTIK.....	110	<i>nevirapine</i>	61
<i>methylprednisolone sodium succ</i>	115, 116	MOXEZA.....	105	NEXAVAR.....	25
<i>metipranolol</i>	137	<i>moxifloxacin</i>	16, 105	NEXLETOL.....	82
<i>metoclopramide hcl</i>	109	MOZOBIL.....	68	NEXLIZET.....	82
<i>metoprolol succinate</i>	77	MULPLETA.....	68	<i>niacin</i>	83
<i>metoprolol ta-hydrochlorothiaz</i>	77	MULTAQ.....	76	<i>niacor</i>	83
		<i>mupirocin</i>	98		
		<i>mycophenolate mofetil</i>	124		
		<i>mycophenolate mofetil (hcl)</i> ...	124		

<i>nicardipine</i>	80	NOVOLIN 70-30 FLEXPEN		<i>ogestrel (28)</i>	94
NICOTROL.....	8	U-100.....	42	OGIVRI.....	25
<i>nifedipine</i>	80	NOVOLIN N FLEXPEN.....	43	<i>olanzapine</i>	57
<i>nikki (28)</i>	94	NOVOLIN N NPH U-100		<i>olmesartan</i>	75
<i>nilutamide</i>	25	INSULIN.....	43	<i>olmesartan-</i>	
NINLARO.....	25	NOVOLIN R FLEXPEN.....	43	<i>hydrochlorothiazide</i>	75
<i>nitisinone</i>	102	NOVOLIN R REGULAR U-		<i>olopatadine</i>	104
<i>nitrofurantoin macrocrystal</i>	11	100 INSULN.....	43	OLUMIANT.....	125
<i>nitrofurantoin monohydlm-</i>		NOVOLOG FLEXPEN U-		<i>omega-3 acid ethyl esters</i>	83
<i>cryst</i>	11	100 INSULIN.....	43	<i>omeprazole</i>	108
<i>nitroglycerin</i>	84	NOVOLOG MIX 70-30 U-		<i>omeprazole-sodium</i>	
NITYR.....	102	100 INSULN.....	43	<i>bicarbonate</i>	108
NIVESTYM.....	68	NOVOLOG MIX 70-		OMNITROPE.....	118
<i>nizatidine</i>	108	30FLEXPEN U-100.....	43	ONCASPAR.....	25
NOCDURNA (MEN).....	117	NOVOLOG PENFILL U-100		<i>ondansetron</i>	50
NOCDURNA (WOMEN)....	118	INSULIN.....	43	<i>ondansetron hcl</i>	50
<i>nora-be</i>	94	NOVOLOG U-100 INSULIN		<i>ondansetron hcl (pf)</i>	50
NORDITROPIN FLEXPRO		ASPART.....	43	ONIVYDE.....	26
.....	118	NOXAFIL.....	45	ONTRUZANT.....	26
<i>norethindrone (contraceptive)</i> ..	94	NUBEQA.....	25	ONUREG.....	26
<i>norethindrone acetate</i>	120	NUCALA.....	144	OPDIVO.....	26
<i>norethindrone ac-eth estradiol</i>		NUCYNTA.....	5	OPSUMIT.....	146
.....	94, 114	NUCYNTA ER.....	5	<i>oralone</i>	96
<i>norethindrone-e.estradiol-iron</i> ..	94	NUEDEXTA.....	87	ORENCIA.....	125
<i>norgestimate-ethinyl estradiol</i> ..	94	NULOJIX.....	124	ORENCIA (WITH	
<i>norlyda</i>	94	NUPLAZID.....	57	MALTOSE).....	125
<i>norlyroc</i>	94	NURTEC ODT.....	48	ORENCIA CLICKJECT.....	125
NORMOSOL-M IN 5%		NUTRILIPID.....	73	ORENITRAM.....	146
DEXTROSE.....	139	NUTROPIN AQ NUSPIN...	118	ORFADIN.....	102, 103
NORMOSOL-R PH 7.4.....	139	<i>nyamyc</i>	45	ORLISSA.....	118
NORTHERA.....	74	<i>nystatin</i>	45, 46	ORKAMBI.....	144, 145
<i>nortrel 0.5/35 (28)</i>	94	<i>nystop</i>	46	<i>orsythia</i>	94
<i>nortrel 1/35 (21)</i>	94	OICALIVA.....	110	<i>oseltamivir</i>	63, 64
<i>nortrel 1/35 (28)</i>	94	OCREVUS.....	87	OSMOLEX ER.....	53
<i>nortrel 7/7/7 (28)</i>	94	OCTAGAM.....	124	OTEZLA.....	125
<i>nortriptyline</i>	38	<i>octreotide acetate</i>	118	OTEZLA STARTER.....	125
NORVIR.....	61	ODEFSEY.....	62	<i>oxcarbazepine</i>	34
NOVOLIN 70/30 U-100		ODOMZO.....	25	OXTELLAR XR.....	34
INSULIN.....	42	OFEV.....	144	<i>oxybutynin chloride</i>	111
		<i>ofloxacin</i>	106	<i>oxycodone</i>	5

<i>oxycodone-acetaminophen</i>	5	<i>perphenazine</i>	57	PRADAXA.....	67
<i>oxycodone-aspirin</i>	5	<i>perphenazine-amitriptyline</i>	39	PRALUENT PEN.....	83
OXYCONTIN.....	5	PERSERIS.....	57	<i>pramipexole</i>	53
OZEMPIC.....	41	<i>pfizerpen-g</i>	15	<i>prasugrel</i>	70
<i>pacerone</i>	76	<i>phenadoz</i>	50	<i>pravastatin</i>	83
PADCEV.....	26	<i>phenelzine</i>	39	<i>prazosin</i>	74
<i>paliperidone</i>	57	<i>phenobarbital</i>	34	<i>prednicarbate</i>	100
PALYNZIQ.....	103	<i>phenylephrine hcl</i>	74, 104	<i>prednisolone</i>	116
PANRETIN.....	97	<i>phenytoin</i>	34	<i>prednisolone acetate</i>	107
<i>pantoprazole</i>	108	<i>phenytoin sodium</i>	34	<i>prednisolone sodium phosphate</i>	107, 116
<i>paricalcitol</i>	133	<i>phenytoin sodium extended</i>	34	<i>prednisone</i>	116
PARICALCITOL.....	133	PHESGO.....	26	<i>pregabalin</i>	34
<i>paroex oral rinse</i>	96	<i>philith</i>	94	PREMARIN.....	114
<i>paromomycin</i>	52	PHOSLYRA.....	111	PREMPHASE.....	114
<i>paroxetine hcl</i>	38	PICATO.....	97	PREMPRO.....	114
PASER.....	49	PIFELTRO.....	62	<i>prenatal plus (calcium carb)</i> ..	147
PAXIL.....	38	<i>pilocarpine hcl</i>	97, 137	<i>prenatal vitamin plus low iron</i> .	147
PEDIARIX (PF).....	129	<i>pimecrolimus</i>	100	PRETOMANID.....	49
PEDVAX HIB (PF).....	129	<i>pimozide</i>	57	<i>prevalite</i>	83
<i>peg 3350-electrolytes</i>	111	<i>pimtreea (28)</i>	94	<i>previfem</i>	95
PEGANONE.....	34	<i>pioglitazone</i>	41	PREVYMIS.....	64
PEGASYS.....	65	<i>piperacillin-tazobactam</i>	15	PREZCOBIX.....	62
PEGASYS PROCLICK.....	65	PIQRAY.....	26	PREZISTA.....	62
PEGINTRON.....	65	<i>pirmella</i>	95	PRIFTIN.....	49
PEMAZYRE.....	26	PLASMA-LYTE 148.....	139	PRIMAQUINE.....	52
PEN NEEDLE, DIABETIC.	101	PLASMA-LYTE A.....	139	<i>primidone</i>	34
<i>penicillamine</i>	112	PLEGRIDY.....	87, 88	PRIVIGEN.....	125
<i>penicillin g potassium</i>	15	<i>podofilox</i>	97	PROAIR RESPICLICK.....	142
<i>penicillin g procaine</i>	15	POLIVY.....	26	<i>probenecid</i>	46
<i>penicillin v potassium</i>	15	<i>polycin</i>	106	<i>probenecid-colchicine</i>	46
PENNSAID.....	7	<i>polymyxin b sulfate</i>	11	<i>procaïnamide</i>	76
PENTACEL (PF).....	129	<i>polymyxin b sulf-trimethoprim</i>	106	PROCALAMINE 3%.....	74
PENTACEL DTAP-IPV COMPNT (PF).....	129	POMALYST.....	26	<i>prochlorperazine</i>	51
<i>pentamidine</i>	52	<i>portia 28</i>	95	<i>prochlorperazine edisylate</i>	51
<i>pentoxifylline</i>	70	PORTRAZZA.....	26	<i>prochlorperazine maleate</i>	51
PERIKABIVEN.....	73	<i>posaconazole</i>	46	PROCRIT.....	68, 69
<i>perindopril erbumine</i>	76	<i>potassium chloride</i>	139	<i>procto-med hc</i>	100
<i>periogard</i>	97	<i>potassium chloride-0.45 % nacl</i>	139	<i>proctosol hc</i>	100
<i>permethrin</i>	101	<i>potassium citrate</i>	139	<i>proctozone-hc</i>	100

PROCYSBI.....	112, 136	REBIF (WITH ALBUMIN)...	88	<i>rivastigmine tartrate</i>	36
<i>progesterone</i>	120	REBIF REBIDOSE.....	88	<i>rizatriptan</i>	48
<i>progesterone micronized</i>	120	REBIF TITRATION PACK..	88	ROCKLATAN.....	137
PROGLYCEM.....	136	<i>reclipsen (28)</i>	95	<i>ropinirole</i>	54
PROGRAF.....	125	RECOMBIVAX HB (PF).....	130	<i>rosadan</i>	98
PROLASTIN-C.....	145	RECTIV.....	136	<i>rosuvastatin</i>	83
PROLENSA.....	107	RELENZA DISKHALER.....	64	ROTARIX.....	130
PROLEUKIN.....	26	RELISTOR.....	110	ROTATEQ VACCINE.....	130
PROLIA.....	133	REMICADE.....	125	ROZLYTREK.....	27
PROMACTA.....	69	RENFLEXIS.....	125	RUBRACA.....	27
<i>promethazine</i>	47, 51	<i>repaglinide</i>	41	RUKOBIA.....	62
<i>promethegan</i>	51	REPATHA PUSHTRONEX..	83	RUXIENCE.....	27
<i>propafenone</i>	76	REPATHA SURECLICK.....	83	RYBELSUS.....	41
<i>proparacaine</i>	104	REPATHA SYRINGE.....	83	RYDAPT.....	27
<i>propranolol</i>	78	RESCRIPTOR.....	62	SABRIL.....	34
<i>propranolol-hydrochlorothiazid</i>	78	RESTASIS.....	107	SAIZEN.....	119
<i>propylthiouracil</i>	120	RETACRIT.....	69	SAIZEN SAIZENPREP.....	119
PROQUAD (PF).....	129	RETEVMO.....	26, 27	SANDOSTATIN LAR	
PROSOL 20 %.....	74	RETROVIR.....	62	DEPOT.....	119
<i>protamine</i>	69	REVCОВI.....	103	SANTYL.....	97
<i>protriptyline</i>	39	REVLIMID.....	27	SAPHRIS.....	58
PULMOZYME.....	103	<i>revonto</i>	145	<i>sapropterin</i>	103
PURIXAN.....	26	REXULTI.....	58	SARCLISA.....	27
<i>pyrazinamide</i>	49	REYATAZ.....	62	SAVELLA.....	88
<i>pyridostigmine bromide</i>	136	REYVOW.....	48	<i>scopolamine base</i>	51
<i>pyrimethamine</i>	52	RHOPRESSA.....	137	SECUADO.....	58
QINLOCK.....	26	<i>ribasphere</i>	66	<i>selegiline hcl</i>	54
QUADRACEL (PF).....	130	<i>ribavirin</i>	66	<i>selenium sulfide</i>	98
<i>quetiapine</i>	57	RIDAURA.....	125	SELZENTRY.....	62
<i>quinapril</i>	76	<i>rifabutin</i>	49	SEREVENT DISKUS.....	143
<i>quinidine sulfate</i>	77	<i>rifampin</i>	49	SEROSTIM.....	119
RABAVERT (PF).....	130	<i>riluzole</i>	88	<i>sertraline</i>	39
RADICAVA.....	88	<i>rimantadine</i>	64	<i>setlakin</i>	95
<i>raloxifene</i>	115	RINVOQ.....	125	<i>sevelamer carbonate</i>	111
<i>ramipril</i>	76	RISPERDAL CONSTA.....	58	<i>sevelamer hcl</i>	111
<i>ranolazine</i>	80	<i>risperidone</i>	58	<i>sharobel</i>	95
<i>rasagiline</i>	53	<i>ritonavir</i>	62	SHINGRIX (PF).....	130
RASUVO (PF).....	125	RITUXAN.....	27	SIGNIFOR.....	119
RAVICTI.....	110	RITUXAN HYCELA.....	27	SIKLOS.....	69
RAYALDEE.....	133	<i>rivastigmine</i>	36	<i>sildenafil (pulm.hypertension)</i>	146

SILENOR.....	146	<i>ssd</i>	98	SYNAGIS.....	64
SILIQ.....	125	<i>stavudine</i>	62	SYNAREL.....	119
<i>silver sulfadiazine</i>	98	STELARA.....	126	SYNERCID.....	11
SIMBRINZA.....	137	STIOLTO RESPIMAT.....	143	SYNJARDY.....	41
<i>simliya (28)</i>	95	STIVARGA.....	27	SYNJARDY XR.....	41
<i>simpesse</i>	95	STRENSIQ.....	103	SYNRIBO.....	27
SIMPONI.....	126	<i>streptomycin</i>	10	TABLOID.....	27
SIMPONI ARIA.....	126	STRIBILD.....	62	TABRECTA.....	28
<i>simvastatin</i>	83	STRIVERDI RESPIMAT....	143	<i>tacrolimus</i>	100, 126
<i>sirolimus</i>	126	SUBLOCADE.....	9	<i>tadalafil (pulm. hypertension)</i>	147
SIRTURO.....	49	<i>subvenite</i>	34	TAFINLAR.....	28
SKYRIZI.....	126	<i>sucrafate</i>	108	TAGRISSE.....	28
<i>smoflipid</i>	74	<i>sulfacetamide sodium</i>	106	TAKHZYRO.....	136
<i>sodium chloride</i>	132	<i>sulfacetamide sodium (acne)</i> ...	98	TALTZ AUTOINJECTOR..	126
<i>sodium chloride 0.9%</i>	139	<i>sulfacetamide-prednisolone</i>	106	TALTZ SYRINGE.....	126
<i>sodium phenylbutyrate</i>	110	<i>sulfadiazine</i>	16	TALZENNA.....	28
<i>sodium polystyrene (sorb free)</i>		<i>sulfamethoxazole-</i>		<i>tamoxifen</i>	28
.....	110	<i>trimethoprim</i>	16	<i>tamsulosin</i>	112
<i>sodium polystyrene sulfonate</i> ..	110	<i>sulfasalazine</i>	132	TARGRETIN.....	28
<i>sofosbuvir-velpatasvir</i>	64	<i>sulfatrim</i>	16	<i>tarina 24 fe</i>	95
SOLIQUA 100/33.....	43	<i>sulindac</i>	7	<i>tarina fe 1/20 (28)</i>	95
SOLTAMOX.....	27	<i>sumatriptan</i>	48	TASIGNA.....	28
SOLU-CORTEF ACT-O-		<i>sumatriptan succinate</i>	48	TAVALISSE.....	69
VIAL (PF).....	116	SUNOSI.....	146	<i>tazarotene</i>	100
SOMATULINE DEPOT.....	119	SUPPRELIN LA.....	119	TAZORAC.....	100
SOMAVERT.....	119	SUPREP BOWEL PREP		<i>taztia xt</i>	79
<i>sorine</i>	78	KIT.....	111	TAZVERIK.....	28
<i>sotalol</i>	78	SUTENT.....	27	TDVAX.....	130
<i>sotalol af</i>	78	<i>syeda</i>	95	TECENTRIQ.....	28
SOVALDI.....	64	SYLATRON.....	65	TECFIDERA.....	88
SPIRIVA RESPIMAT.....	143	SYLVANT.....	27	TECHNIVIE.....	64
SPIRIVA WITH		SYMBICORT.....	141	TEFLARO.....	13
HANDIHALER.....	143	SYMDEKO.....	145	TEKTRUNA HCT.....	84
<i>spironolactone</i>	81	SYMFI.....	62	<i>telmisartan</i>	75
SPRAVATO.....	39	SYMFI LO.....	62	<i>temazepam</i>	10
<i>sprintec (28)</i>	95	SYMJEPI.....	80	TEMIXYS.....	63
SPRITAM.....	34	SYMLINPEN 120.....	41	TEMODAR.....	28
SPRYCEL.....	27	SYMLINPEN 60.....	41	TENIVAC (PF).....	130
<i>sps (with sorbitol)</i>	110	SYMPAZAN.....	35	<i>tenofovir disoproxil fumarate</i> ...	63
<i>sronyx</i>	95	SYMTUZA.....	62	TEPEZZA.....	104

<i>terazosin</i>	112	<i>torseamide</i>	81	<i>trifluridine</i>	106
<i>terbinafine hcl</i>	46	TOTECT.....	136	<i>trihexyphenidyl</i>	54
<i>terbutaline</i>	143	TOUJEO MAX U-300		TRIKAFTA.....	145
<i>terconazole</i>	47	SOLOSTAR.....	43	<i>tri-legest fe</i>	95
<i>teriparatide</i>	134	TOUJEO SOLOSTAR U-300		<i>tri-lynyah</i>	95
<i>testosterone</i>	113	INSULIN.....	43	<i>tri-lo-estarylla</i>	95
<i>testosterone cypionate</i>	113	TOVIAZ.....	112	<i>tri-lo-marzia</i>	95
<i>testosterone enanthate</i>	113	TRACLEER.....	147	<i>tri-lo-mili</i>	95
TETANUS,DIPHThERIA		TRADJENTA.....	41	<i>tri-lo-sprintec</i>	95
TOX PED(PF).....	130	<i>tramadol</i>	5	<i>trilyte with flavor packets</i>	111
<i>tetrabenazine</i>	89	<i>tramadol-acetaminophen</i>	5	<i>trimethoprim</i>	11
<i>tetracycline</i>	17	<i>trandolapril</i>	76	<i>tri-mili</i>	96
THALOMID.....	136	<i>tranexamic acid</i>	69	<i>trimipramine</i>	39
<i>theophylline</i>	143	TRANSDERM-SCOP.....	51	TRINTELLIX.....	39
THIOLA.....	112	<i>tranylcypromine</i>	39	<i>tri-previfem (28)</i>	96
THIOLA EC.....	112	TRAVASOL 10 %.....	74	TRIPTODUR.....	119
<i>thioridazine</i>	58	<i>travoprost</i>	138	<i>tri-sprintec (28)</i>	96
<i>thiotepa</i>	28	TRAZIMERA.....	28	TRIUMEQ.....	63
<i>thiothixene</i>	58	<i>trazodone</i>	39	<i>trivora (28)</i>	96
<i>tiadylt er</i>	79	TREANDA.....	28	<i>tri-vylibra</i>	96
<i>tiagabine</i>	35	TRECATOR.....	49	<i>tri-vylibra lo</i>	96
TIBSOVO.....	28	TRELEGY ELLIPTA.....	143	TRODELVY.....	29
TICE BCG.....	126	TRELSTAR.....	28, 29	TROGARZO.....	63
<i>tigecycline</i>	17	TREMFYA.....	126	TROPHAMINE 10 %.....	74
<i>tilia fe</i>	95	<i>treprostinil sodium</i>	147	TROPHAMINE 6%.....	74
<i>timolol maleate</i>	78, 137, 138	TRESIBA FLEXTOUCH U-		TRULICITY.....	41
TIVICAY.....	63	100.....	44	TRUMENBA.....	130
TIVICAY PD.....	63	TRESIBA FLEXTOUCH U-		TRUVADA.....	63
<i>tizanidine</i>	145	200.....	44	TRUXIMA.....	29
TOBI PODHALER.....	10	TRESIBA U-100 INSULIN..	44	TUDORZA PRESSAIR.....	143
<i>tobramycin</i>	10, 106	<i>tretinoin</i>	100, 101	TUKYSA.....	29
<i>tobramycin in 0.225 % nacl</i>	10	<i>tretinoin (antineoplastic)</i>	29	<i>tulana</i>	96
<i>tobramycin sulfate</i>	10	<i>tri femynor</i>	95	TURALIO.....	29
<i>tobramycin-dexamethasone</i>	106	<i>triamcinolone acetanide</i>		TWINRIX (PF).....	131
TOLAK.....	97	97, 100, 116	TYBOST.....	136
<i>tolazamide</i>	44	<i>triamterene-hydrochlorothiazid</i>		TYKERB.....	29
<i>tolterodine</i>	111	81, 82	TYMLOS.....	134
<i>topiramate</i>	35	<i>trientine</i>	113	TYPHIM VI.....	131
<i>toposar</i>	28	<i>tri-estarylla</i>	95	TYSABRI.....	126
<i>toremifene</i>	28	<i>trifluoperazine</i>	58	TYVASO.....	147

UBRELVY.....	49	<i>vigabatrin</i>	35	XCOPRI TITRATION	
UCERIS.....	132	<i>vigadrone</i>	35	PACK.....	36
UDENYCA.....	69	VIIBRYD.....	39	XELJANZ.....	127
UNITUXIN.....	29	VIMIZIM.....	103	XELJANZ XR.....	127
UPTRAVI.....	147	VIMPAT.....	35	XERMELO.....	110
<i>ursodiol</i>	110	<i>vinorelbine</i>	30	XHANCE.....	107
<i>valacyclovir</i>	66	<i>viorele (28)</i>	96	XIFAXAN.....	12
VALCHLOR.....	97	VIRACEPT.....	63	XIIDRA.....	107
<i>valganciclovir</i>	66	VIREAD.....	63	XOFLUZA.....	64
<i>valproate sodium</i>	35	VISTOGARD.....	136	XOLAIR.....	145
<i>valproic acid</i>	35	VITRAKVI.....	30	XOSPATA.....	30
<i>valproic acid (as sodium salt)</i>	35	VIZIMPRO.....	30	XPOVIO.....	30
<i>valrubicin</i>	29	<i>volnea (28)</i>	96	XTAMPZA ER.....	5
<i>valsartan</i>	75	VOLTAREN.....	7	XTANDI.....	30
<i>valsartan-hydrochlorothiazide</i> ..	75	<i>voriconazole</i>	46	<i>xulane</i>	96
VALTOCO.....	35	VOSEVI.....	65	XULTOPHY 100/3.6.....	44
<i>vancomycin</i>	11, 12	VOTRIENT.....	30	XURIDEN.....	136
VAQTA (PF).....	131	VPRIV.....	103	XYOSTED.....	113
VARIVAX (PF).....	131	VRAYLAR.....	58, 59	XYREM.....	146
VASCEPA.....	83	VUMERITY.....	89	XYWAV.....	146
VELCADE.....	29	VYEPTI.....	49	YERVOY.....	30
<i>velivet triphasic regimen (28)</i> ...	96	<i>vyfemla (28)</i>	96	YF-VAX (PF).....	131
VELPHORO.....	111	<i>vylibra</i>	96	YONDELIS.....	30
VELTASSA.....	110	VYNDAMAX.....	80	YONSA.....	31
VEMLIDY.....	63	VYNDAQEL.....	80	<i>yuvafem</i>	115
VENCLEXTA.....	29	VYXEOS.....	30	<i>zafirlukast</i>	141
VENCLEXTA STARTING		<i>warfarin</i>	67	<i>zaleplon</i>	146
PACK.....	29	<i>water for irrigation, sterile</i>	132	<i>zarah</i>	96
<i>venlafaxine</i>	39	WELCHOL.....	83	ZARXIO.....	69
<i>verapamil</i>	79	<i>wera (28)</i>	96	ZEJULA.....	31
VERSACLOZ.....	58	<i>wixela inhub</i>	141	ZELBORAF.....	31
VERZENIO.....	29	XADAGO.....	54	<i>zenatane</i>	97
V-GO 40.....	101	XALKORI.....	30	<i>zenchent (28)</i>	96
VIBERZI.....	110	XARELTO.....	67	ZENPEP.....	103
VICTOZA.....	41	XARELTO DVT-PE TREAT		ZEPATIER.....	65
VIDEX 2 GRAM		30D START.....	67	ZEPOSIA.....	89
PEDIATRIC.....	63	XATMEP.....	30	ZEPOSIA STARTER KIT.....	89
VIDEX EC.....	63	XCOPRI.....	36	ZEPOSIA STARTER PACK.....	89
VIEKIRA PAK.....	65	XCOPRI MAINTENANCE		ZEPZELCA.....	31
<i>vienva</i>	96	PACK.....	35	<i>zidovudine</i>	63

ZIEXTENZO.....	69
<i>ziprasidone hcl</i>	59
<i>ziprasidone mesylate</i>	59
ZIRABEV.....	31
ZIRGAN.....	106
ZOLADEX.....	31
<i>zoledronic acid</i>	134
<i>zoledronic acid-mannitol-water</i>	134
ZOLINZA.....	31
<i>zolpidem</i>	146
ZOMACTON.....	119
<i>zonisamide</i>	36
ZORBTIVE.....	119
ZORTRESS.....	127
ZOSTAVAX (PF).....	131
<i>zovia 1/35e (28)</i>	96
ZTLIDO.....	7
ZUBSOLV.....	9
ZULRESSO.....	39
<i>zumandimine (28)</i>	96
ZYDELIG.....	31
ZYKADIA.....	31
ZYLET.....	106
ZYPREXA RELPREVV.....	59
ZYTIGA.....	31



For more recent information or other questions, please visit modahealth.com/medicare or contact Moda Health Plan, Inc. Customer Service at 1-888-786-7509 from 7 a.m. to 8 p.m., Pacific Time, seven days a week from October 1 through March 31. (After March 31, your call will be handled by our automated phone systems Saturdays, Sundays, and holidays.) TTY users should call 711.

601 S.W. Second Ave.
Portland, OR 97204-3154